

YANOMAMI CENTRAL (Y) ; NINAM (N) ; SANIMA (S) ; MERIDIONAL (M)
(1993)

Yanomami Central (Y)

- ‘xamatari’ do sul: Y_{oc-sul} ⇒ (xs)
- ‘xamatari’ do meio (Venezuela): Y_{oc-meio} ⇒ (xn)
- ‘xamatari’ e ‘parafíri’ da serra Parima (com f): Y_{oc-f} ⇒ (xf)
- ‘waika’ de Surucucu e Waput^ha (Fufuna) (com f) & ‘parahuri’ do Inajá: Y_{or-f} ⇒ (wf) + (pa) ‘parahuri’ do Inajá
- ‘waika’ do meio (Xitei, Hoomoxi, Paopiu): Y_{or-meio} ⇒ (wx)
- ‘waika’ do Catrimani & Toototobi / Lobo d’Almada (com h^w): Y_{or-sul} ⇒ (wc) + (wl) Lobo d’Almada + (wt) Toototobi + (w.parimi) Parimi-t^heri


Ninam (N)

- Ninam do Norte (Uraricaá, Ericó, Paragua): N_{norte} ⇒ (nn)
- Ninam do Sul (Mucajaí, Uraricoera): N_{sul} ⇒ (ns)

Sanima (S)

Yanomami Meridional (M)

- ‘waika’ da serra do Pacu-Mocidade (opikteri), ‘yawari’ do Ajarani, etc.: M_{or} ⇒ (mo) opik-teri + (my) yawari + (mx) xexena
- ‘waika’ do ‘baixo’ Catrimani (Castanho & baixo rio Pacu): M_{oc} ⇒ (mw) waika



© : animal ou vegetal comestível

Formantes: -ma /-pa, -mi + -pi, -wə, -fi, -ri, -to / -ro, -re, -a, etc.

Animal (de criação): **hiima** (xs,xn,xf,wc,wx,wf) + **tāri-** (xs) + **t̄āri-** (xn,xf,wc,wx,wf) + **hipia** (wt) ; (**pili**) **hima** (ns) (N) ; **hima** + **t̄ali** (S) ; **hiima** (mo) / **iima** (mw) / **pita-si cāo** (mw) (M) [cf. mainatari, cahuana, etc. (arawak) *biqa-zi* < *pit̄a-tsi]

Animal (de caça): **jaro** (Y) ; **tsaro** (N) ; **tsalo** (S) ; **dʒaro** (mo,my) / **dʒora** (mw) (M)

Animal (forma juvenil: mamífero terrestre): **oka-ro** (xs,xn,xf) / **oka-ra** (wc,wx) ; **oka-lo** (S) ; **ōkara** (mw) (M)

Animal (forma juvenil: mamífero arboricola): **ōkotoma** / **okotoma** (xs,xn) / **kojotoma** (wt)

MAMÍFEROS

- **marsupiais**:

<i>Didelphis marsupialis</i>	mucura	nāro (xs,wt,wc,wx,wf) / aware (xn,xf,wx,wf,pa) / nano (xf) ; nāro (N) ; pumotomí (S) ; naro (M) [cf. wapi jawari]
<i>Chironectes minimus</i>	cuíca-d'água	nano (S)
<i>Caluromys philander</i>	mucura-xixica	kōtō-ri (hī) (xs) / koto-wə (xn) / koto-ra (wx) / kafara (wt) ; kāsura (ns) / kāſira (nn) / ſōwete(he) (N) ; kasitholi
+ kasana (S) ; wakoxoa (mo) / wakaſo (mw) + warapa (na) (mo,mw) (M)		
<i>Marmosa</i> sp.	mucura-xixica	tārai-mi (xs)

- **desdentados**:

<i>Cyclopes didactylus</i>	tamanduaí	masihoto (xs,xn,xf) / (h)oroſōkoma (wt,wc,wx) / (h)ōrokōjoma (wt, palimiu) ; hōrojoma (ns,nn) (N) ; oloso[lo]mī / naſikoto (S) ; hōroſo (mw) (M)
<i>Myrmecophaga tridactyla</i>	tamanduá-bandeira	tēpə (Y,N,S) ; rēpə (mo,my) / tēpə (mw) (M)
<i>Tamandua tetradactyla</i>	tamanduá-colete	joko (xs,xn,w) / jokro (xf) / areto (xn,xf) ; joko[ro] (N) ; soko (S) ; arepo (ko) (mo) / xoko (my) / jokoro (aſi) (mw) (M)
<i>Choloepus didactylus</i>	preguiça-real	īhama (xs,xn) / īfama (xf) / jaweremī (xs) / jawerema (wt,wc,wx) / jawarema (wx,wf) ; tfawerem (ns,nn) (N) ; tsaulemī (S) ; jawere (M) [cf. guinau jawidžimá]
<i>Bradypus tridactylus</i>	preguiça-de-bentinho	simī (xs) / ſimī (xn,xf,wt,wc,wx,wf) ; ſumu (ns) / ſimī (nn) (N) ; simī (S) ; jawere (reiki) (mw) (M) [cf. wapi ſibiri-dare]
<i>Cabassous unicinctus</i>	tatu-de-rabo-mole	moro (Y,N,M) ; mono (S)
<i>Dasyurus spp.</i>	tatu	opo (Y) ; opo-si (N) ; opo / tsako-ose (S) ; opo (mw) (M)
<i>Dasyurus kappleri</i>	tatu-quinze	marea (xs,xn) / mareā (wt,wx) ; marea (ns) (N) ; opo-mane (S) ; marea (mo,my) (M)
<i>Dasyurus novemcinctus</i>	tatu sp. (pequeno)	prufima (xs) / joroahi[rimi] (xn,xf)

Priodontes maximus

tatu-canastra
tatu sp.

waka (Y,N,S,M)
proromahiwə (xn)

• roedores e lagomorfos:

Hydrochaeris hydrochaeris capivara

kadžu-ri (mw) (M) [cf. guinau kέju]

Dasyprocta agouti

Agouti paca

Myoprocta acouchy

([tə]na) (mo) / **waſaro (na) (mw) (M)**

Sciurus aestuans

kari (una) (mw) (M)

Sciurus igniventris

akaraxi (mo) (mo) / wititi (mx,mw) (M)

Coendou melanurus

Coendou prehensilis

[genérico]

Proechimys guyannensis

Dactylomys dactylinus

(N) ; **watōro (mo) / manato (mw) (M)**

Silvilagus brasiliensis

Ratos spp.: **mosi-supremi / misi-supremi (xs), pəna (xs,xn,xf) (pequeno), jawari-huſo-ă (xn)**

• artiodáctilos:

Tapirus terrestris

Tayassu pecari

Tayassu tajacu

Mazama americana

anta
queixada
queixada enorme
caititu
queixada / caititu jovem

pāhaāte (xs)
veado-mateiro

sama (Y,N) ; sama (S) ; xama (mo,my) / sama (mw) (M)
warə (Y) ; warə (N) ; walə (S) ; warə (M) [jákajákə (təku) (xn) / jakasakama (xf)] [cf. guinau iwára]
harami / haramawə (xs)
pose (Y) ; pose-hi (ns,nn) (N) ; pose (S) ; poxi (hī) (mo,my) / posí (hī) (mw) (M) + waipo-ro (xs) / tetetewə (xn)

haja (Y) ; hatſa (ns,nn) + waiken (nn) veado-galheiro [< karib: waikin (pemon-kapon, purukotó)] (N); **hatsa (S) ; adža (M)**

kaju-ri (xs,xn,xf) / kāju (wc,wf) / kāi (wt,wx) ; katſu (ns) / katſi (nn) (N) ; katsu (S) ; kapihara (mo) [<] / kadžu (my) /

tomi (xs) / thomu (wt) / thomi (Y,S) ; thomi (ns,nn) (N) ; tomī (mo,my) / tomu ([a]ji) (mw) (M)

amo-ta (xs) / amo-tha (> ama-tha) (Y,N,S) ; amo-ta (M)

paca macho, cutiuaias

wajo-ro / wajo-re (xs,wc) [cf. baré wajuru]

ſihəna (na) (xs) / ſihena (xn) / ſifena (xf) / waſoro (wt) ; ſuhuna (ns) / ſihina (nn) (N) ; siana (na) (S) ; waxaro

kario (xs,xn,xf,pa) / kari(o) (wc,wx) / kari (ona) (wt) ; karatſu-una (ns) / karafši-ina (nn) (N) ; karidžoni (i) (mo) /

wajapafī (xs,xn,xf,wc,wt,pa) / wajopafī (wx) ; pakuku (ns) / pakiki (nn) (N) ; watsapasi / kalitsoli [caura] (S) ;

hopə (hī) / hopo (hena) (wt) (Y) ; hopə[hi] (N) ; hopə (S) ; hopo (mo) / ōpi (hī) (mw) (M)

hiwa-ra (xs,xn,xf,wf) ; hiwara (N) ; hiwala (S) ; iwara (M)

toropo (xs) / thoropo (xn,xf,wx,wf) / paho (wt,wc,wx) ; thoropo (N) ; tholopo (S) ; pāho (M)

roha (ana) / rēo (sī) (xs,xn,xf,wc,wx) / rēa (sī) (wt) ; pahō-mixi-pəri-ma (mo) / ruwe (nasi) (mw) (M)

tōhomī (xs) / thōho-mi (xs,xn,xf) [não há no Marauia] / thootħoo-ma (wt,wc,wx) ; thōotħōo (ns) / watħona (ns,nn) / matħona (nn)

hāhā (xs,xn) / fāfā (xf) / koahito [< espanhol] / roha (a) (wt) ; hōha (N) ; ha(o)hō (S) ; hāhā (mo,mw) (M)

Mazama gouazoupira veado-catingueiro **prēari** (xs) / **koſikofiri-mi** (xs) / **krokohori-mi** (xn) / **wəə[-ma]** (wt,wc,wx) / **wəə (mosi)** (wc) ; **hatſa-mosi** (N) ; **hatsa-katumi** (S) ; **adža-moxi** (mo) / **adža-mosi** (mw) (M)

• carnívoros:

<i>Eira barbara</i>	irara	hoari (Y) ; hoari (N) ; wali / hoali (S) ; oari (mo,mx) / awari (mw) (M)
<i>Galictis vittata</i>	furão	aiāmo (si) / harakaja (xs) ; harakatſa / harakatſe (N) ; hanakatſa (S)
<i>Nasua nasua</i>	quati	jaru-ſe (xs,xn,xf,wf) / jari-ji (wt,wc,wx) ; tſaruse-na (ns) / tſarifé-na (N) ; tsalusi (S) ; džarixe (mo,my) / džaroſe (mw) (M)
<i>Potus flavus</i>	jupará	hāſo (xs,xn,xf) / hera (wt,wc,wx) ; hera (ns) / hāſo (ns,nn) (N) ; hāſo (S) ; hera (mo) / kurikuri (mw) (M)
<i>Bassaricyon alleni</i>	jupará sp.	mahihiñi (xs) ; koalə (S)
<i>Pteronura brasiliensis</i>	ariranha	hētehiā (hī) (xs,xn) / kana (wt,wc,wx) / huru (wx) / hatamī (wf,pa) ; huru (ns) / hiri (nn) (N) ; hatamī (S) ; axika (my) / kana (mo,mw) (M)
<i>Lutra longicaudis</i>	lontrinha	proro (xs,xn,xf,wt,wx,pa) ; roro (N) ; plolo (S) ; poro (mo) / mataki (mw) (M)
Felino: ira (Y) / tihī (Y) + poroporo (koheki) (xs) <i>onça grande</i> / tururumi (mosi) (xn) / hōo (xn, xf,wt,wx) <i>monstro mitico</i> ; tuhu (ns) / tihī (nn) (N) ; ila (S) ; tiī ou rii (mo,my) / tiī (mw) + ira (mw: ‘espírito-onça’) (M)		
<i>Puma concolor</i>	onça-vermelha	maſaema (xs,xn,xf) / wāſaema (xn) / kitanari (x) ; watſehena (ns,nn) / tuhu-waritſehena (ns) (N) ; kitanani (S) ;
rii-wa-kə-wi (mo) / naraſi (mw) (M)		
<i>Leopardus pardalis</i>	maracajá	jao (xs,wc) / jao (si) (wt) / jawə (wx) / jao-mi (xn) ; tſawe / tſao-thai (N) ; tsaokoli / asopa [lit. ‘grande’] (S) ; džao (nasi) (mo) / džao (si) (mw) (M)
<i>Herpailurus yaguarondi</i>	gato-preto	hukumari (si) (xs) ; hōo (N) ; kulu / kutu (iſi) (S) ; peruka (si) (mw) (M)
---	gato doméstico	miſi (xn) [< espanhol] / ira (hena) (xs) <i>gato</i> ; kirikiri (ns) / pisan (nn) [< nheengatu < português <i>bichano</i>] <i>gato</i> (N) ; misi (S)
---	cão doméstico	okoro (N) ; pole (S)
---	cachorro-do-mato	norijo (si) (xs) / hāhāa-mi (xn) / hōahōa-ma (wx) ; hōhoa-m (N) ; hōwahōwa-ma (mo) / nixi (mo) / hōahōa (mw) (M)

• primatas:

<i>Homo sapiens</i>	ser humano	janonamī (xs) / janomamī (x) / janowamī (x) / janomae (wt,wc) / janəmam (w.parimiu) / janomama (wx) ; ninam (N) ; tsanima (S) ; jarowamī (mo) / janomamī (my,mw) (M)
<i>Alouatta seniculus</i>	guariba, bugio	iro (Y,N) ; ilo (S) ; iro (mo,my) / iro (fi) (mw) (M)
<i>Aotus trivirgatus</i>	macaco-da-noite	kuukuu-mi (xn) / makurutamī (mo) (xs) / makukuſimī (mo) (xs) / kuukuu (mosi) (wt,wc) / kiikii (mosi) (wx) ; kuraru-mo (ns) / kiarimo (nn) (N) ; kuukuu-mi (S) ; wakikua (mo) (mo) / wakuku (mosi) (mw) (M)
<i>Ateles paniscus</i>	coatá	paſo (Y,N) ; pasō (S) ; paxo (mo,my) / paſo (mw) (M)
<i>Cacajao melanocephalus</i>	uacari	hōſomī (xs,xn,xf)

<i>Callicebus torquatus</i>	zogue-zogue	hōkohōkomī (mosi) (xs) / jōkojōkomī (xn) / jōkoſī (wt,wx) ; jōkoſī (N) ; tsokotsoko (S) ; jōkoxi (tə) (mo) / jōkoſī (a) (mw) (M)
<i>Cebus</i> sp.	macaco-prego & cairara	hoafī (xs,xn,xf,wx,wf) / jarimi (xs,xn,xf) / jawerewə (xs,xn,xf) / jarima (wt,wc,wx,wf) ; tsarimi (N) ; wasi (S) ; jarimi (axi) (mo,my) / jarimi (aſī) (mw) (M) [cf. wapi puati]
<i>Chiropotes satanas</i>	cuxiú	wiſa//wiſa (xs) / wiſa (wf) / wiſa (xn) / wiſa (wt,wc,wx) ; uſa-hena (ns) / wiſa-hena (nn) (N) ; wisa / sutu (S) ; kaxu (ina) (mo,my) / fuu (una) (mw) (M) [cf. wapixana wiſa]
<i>Saimiri sciureus</i>	macaco-de-cheiro	əſəəʃəmī (xs) / kuſikuſi-mī (mo) (xs) / kurisi (xn,xf) / kuſisi (wt,wc,wx) ; kuſikusi (ns) / kuſukusi (ns) / koſisi (nn) (N) ; koxi (xi) (mo) / kuſikusi (mw) (M)
<i>Saguinus midas</i>	macaco sp. (?)	watſihena macaco-leão (N)

• morcegos, cetáceos:

---	morcego (genérico)	hewə (xs,xn,xf,wf) / hewe (wt,wc) / hee (wx) ; hewe-si (N) ; həwə (S) ; ewə (a) (mo,my) / ewi (ſi) (mw) (M)
---	morcego frugívoro	waſo (xs,xf,wt,wx) / waſə (xn,xf) ; krēhkrēh-masi (ns) / krāhkrāhi-məsi (nn) (N) ; waso (S)
<i>Inia geoffroyensis</i>	boto sp.	tōrina [< cast. tonina] ; araſari (ns,nn) [< pemon] (N)

AVES

Pássaro (genérico): **kiri-ta-mī** (xs) / **kiri-tʰa-mī** (xn) / **piomī** (xn,xf) / **kiri** (wc,wx) / **krīi-tʰo-mī** (wf) / **krīi-tʰa[jo]-ma** (wc,wx) ; **tfaro** (ns) / **kīri[-tʰai]** (ns,nn) / **kiri-tʰami** (nn) (N) ; **tsalopi-ose** (S) ; **kiri (tə)** (mo,my) / **waſiſimī** (mw) (M)
Ave de caça: **jīi-pi-si-wei** (xs) / **jōo-pe-si** (xs,xn) / **jōo-po-si** (wc) asa / **jōo-pi-si** (wt) asa ; (**tfaro-)****jōi-iwətʰə** [< joi pena] (N) ; **tsalopī** (S) ; **jaro** (mo,my) / **dʒora** (mw) (M)
Forma juvenil de ave grande: **koriro(-ma)** (xs,xn,xf) / **kārapā** (xs) / **matakari** (xs) / **karapə** (wx,wf) ; **kalapa** (S)

• tinamídeos:

<i>Tinamus major</i>	inambu-serra	haſimo (xs,xn,wc) / faſimo (xf,wf) / hʷaſoma (wt) / haſima (wx) / hororomī (xs) ; hāſimo (N) ; hasimo (S) ; haximo (mo,my) / haſimo (mw) (M)
<i>Crypturellus undulatus</i>	jaó-vermiculado	jo[o]hoamī (xf,xn) / joparawə (xn) / jowəhəmī (xf) / hōapa (wt) ; popo-namo (ns) (N) ; tsohamī (S) ; poapoa (na) (mo) / poapoamī (mw) (M)
<i>Crypturellus cinereus</i>	inambu-pixuna	jōra (xs,xn,xf,wt,wx) ; pere-namo (ns) (N) ; jōramī (mw) (M)
<i>Crypturellus variegatus</i>	inambu-anhangá	hōrama (xs,xn,wt,wc,wx) / horanama (xs) ; hōrama (N) ; honama (S) ; ōrama (mo) / ōrama (ſi) (mw) (M)
<i>Crypturellus soui</i>	inambu-tururim	jōririmī (xs) / jōorima (wt,wx) ; jōrinamo / tſoinam (N) ; tsolilimī (S) ; jōorima (tə) (mo) / jōorima (a) (mw) (M)

• anatídeos:

Cairina moschata

pato-do-mato

sapai (xs) / **sapa ū** (xn) ; **oropono** (nn) [<> karib] (N) ; **tōōtōomi** (mw) (M)

• cracídeos, odontoforídeos e fasianídeos:

Crax alector

Mitu tomentosum

Nothocrax urumutum

Ortalís motmot

hātokōa (mo) / **atakāwa** (mw) (M)

Penelope jacquacu

Pipile cumanensis

Odontophorus gujanensis

xi-wakuwei (tə) (mo) / **pōara** (tə) (mx) / **wadzakara** (raxy) (my) / **pokora** (mw) (M)

Gallus domesticus

mutum-poranga

mutum (fêmea / macho) **kōukōumi** (x,wt) (♀) / **paipaimi** (xs,wt) (♂) ; **kōakōamī** (♀) / **paipaimi** (♂) (S) ; **kōokōoma** (♀) / **paipaima** (♂) (M)

mutum-do-norte

urumutum

aracuã

paru-ri (x,wf) / **paa-ri** (wt,wc,wx) ; **paa-ri** (ns,nn) / **pisiaw** (?) (N) ; **palu-li** (S) ; **paa-ru** (mo,my) / **pao-ri** (mw) (M)

katauri (xs) / **mari** (xs,wt,wc,wx) / **maru** (xn,wf) ; **māru** (ns) / **māri** (nn) (N) ; **manu** (S) ; **maru** (mo) / **mari** (my,mw) (M)

katara (xs,xn,xf,wt)

hātakoamī (xs,xn) / **hatakoamo** (wt,wc,wx) ; **hatakūa** (ns) / **hatakia** (nn) / **hanakua** (ns) (N) ; **hatokamī** (S) ;

jacu kūre-mi (x,wf) / **kūre-ma** (wt,wc,wx) ; **kure-mi** (ns) / **kire-mi** (nn) (N) ; **kule-mi** (S) ; **kure-mi** (tə) (mo,my) / **kure-mi** (usi) (mw) (M)

cujubim maraſi (Y), **asapa** (xn) ; **marafi** (N) ; **manasi** (S) ; **maraxi** (tə) (mo,my) / **marafi** (mw) (M) [cf. arawak **marati**]

uru **pokora-mi** (xs,xn,xf) / **pokora** (wf) / **pokara** (wt,wc,wx) ; **pokra-usi** (ns) / **pokira isi** (N) ; **pokola** (S) ; **mamoki-**

galinha **kakara** (x) / **karaka** (wt,wc,wx) ; **karaka** (N) ; **kalaka** (S) ; **karaka** (mo) / **kārakā** (mw) (M)

• pelicaniformes, ciconiiformes & suliformes:

Ardea cocoi, Ardea alba

maguari, garça

kono (xs,wt,wc,wx), **paso (si)** (xn) / **wakara** (wx) [<> karib?, nheengatu?, baré ?] ; **wakara** (N) ; **korokoro** (M)

Egretta thula

garça

kori (una) (xs) / **kori (hana)** (wt) / **arari** (wc) ; **wakara** (ns,nn) (N) ; **kolokolomani** (S)

Mesembrinibis cayennensis

coró-coró

kōromari (xs,wt,wc,wx) ; **korokoro** (ns) / **kōromaro** (N) ; **kolokolomani** (S) ; **hepei** (mo) (mo) / **xōro hū** (mx) /

koromaro (mw) (M)

Tigrisoma lineatum socó-boi **jūu (hū)** (xs,wt) / **ira-hena-mi** (xn) ; **fōohi** (ns) / **fōohi** [= ‘camarão’] (N) ; **siuheioa-ti-mi** [lit. ‘comedor de camarão’] (S) ; **ruru (musiki)** (mw) (M)

Cochlearius cochlearius

arapapá

oema (N) ; **waima (hi)** / **əra** (mw) (M)

jaburu

kono (xs,wc,wx) ; **korito** (ns) / **tararamə** [<> pemon *tararamu*] (N)

biguá

koromao (N) ; **ma-umoro** (M)

Anhinga anhinga

carará

kotua (xn) [<] ; **osako** (N) ; **katata** [<] (S)

• estrigídeos:

Pulsatrix perspicillata

murucututu

kukukumī (na) (xs) / **krukukumī (na)** (xn,xf) / **krukukuma (na)** (wt,wc,wx) ; **kuruku** (ns) / **kiriki** (nn) (N) ;

kukumī (S) ; **hōhori (na)** (mo) / **kukukumī (nasi)** (mw) (M)

Glaucidium brasiliense

caburé

protiprotimi (namo) (xs) ; **posposnamo** (ns,nn) (N) ; **posiposimi** (S) ; **aja (he)** (mo) / **potipotimi (nasi)** (mw) (M)

Otus watsonii

corujinha-orelhuda

tototomī (na) (xs, wt) / **wahoramī** (xs) / **watotomī** (xn) ; **t^hololamī** (S)

Lophostrix cristata coruja-de-crista
Strix hulula coruja-do-mato

proomi (kona) (xs)
hoomi (xs,xn,xf) ; taotaomani (S)

• catartídeos, accipitrídeos & falconídeos:

---	urubu	watupa (Y) ; watupa (ns) / watipa (nn) (N); watupa (S) ; watupa (mo,my) / watapa (mw) (M) [cf. wapixana <i>watu</i>]
Gavião (gavião-carijó, etc.):	koikoi-mi (xs,xn,xf) / koirawə (xs) / koimawə (xs) / koikoi[a]ma (wt,wc) / koikoioma (wx) ; wakao (ns,nn) / kokojōma (ns,nn) / kōimari (N) ; kokoi (S) ; wakawə / koimari (mw) (M)	
<i>Ictinia plumbea</i>	gavião-sovi	sīehemi (xs,xn,xf) / sīhema (wt) / wiša-ki-noma-pi (xs) / wiša-karaka-pi (xn) ; witjwitfima (N) ; senemī (S)
<i>Elanoides forficatus</i>	gavião-tesoura	witiwitimi (xs,xn,xf) / witiwitima (namo) (wt,wc,wx,wf) ; siripahi (N) ; masakanani (S) ; witiwitimi (na) / xioki'arai (mo) / finaki-seketema (mw) (M)
---	gavião-pescador	simotima (N)
<i>Gampsonyx swainsonii</i>	---	pei-maki-hēamatimi
<i>Buteogallus urubitinga</i>	gavião-preto	kopari (si) (xs,xn,xf,wt) ; kōkojōma (N)
<i>Harpia harpyja</i>	gavião-real	moho-mi (xs,xn,xf) / mohu-ma (wt,wc) / rīſi (wt,wx) / nīſi (wf) ; pōho-ma (ns) / mōho-ma (nn) (N) ; no nosi (S) ; momi / mumī (M) [cf. <i>rīſi</i> 'alter ego', de alguém (no gavião-real)]
<i>Morphnus guianensis</i>	uiraçu	wiiwiimī (xs) / wihiima (wt) ; kutſuruusi (N) ; watsimamī (S) ; wiihi (ma) (mo) / wijihi (mamo) (mw) (M)
<i>Spizaetus melanoleucus</i>	gavião-pato	simakajo (xs,xn,xf) ; kokoi-mani (S)
Falcões spp., acauã: <i>kamamari[ma] (xs,xn,xf) / kāwamari (xs) / kaomari (xn) / kāokaoma (wt,wx) ; hāohāoma (N) ; komi (S) ; wakawə / wakawa (M)</i>		
<i>Herpetotheres cachinnans</i>	acauã, guacaba	wakawa (wc) / wako(w)a (wx) ; wakawə / wakawa (M)
<i>Ibycter americanus</i>	cancão-grande, cã-cã	kopari (xs,xn,xf,wt,we,wx) ; kopari (N) ; kopali / katata-mi [cf. yekuana <i>karau</i>, wapixana <i>kutai</i>] (S) ; kopari (M)
<i>Daptrius ater</i>	gavião-de-anta	hērami (xs,xn) / fērami (xf) / herama (wt,wc,wx) ; fēra (N) ; sama-heamī (S) ; xēxē (na) (mo) / kēere (mw) (M)
Gaviões spp.: moſi (xs) / mosi (wc) ; k[r]uku[ri] certo falcão mitológico (xs,wc)		

• trogonídeos:

<i>Trogon</i> spp.	surucuá vermelho	sotokōakōamī (xs,xn,xf) / sotokōokōomī (xs,xn) / sotokoma (wt,wc) / fitokoma (wx) / poſe (mamo-kasi-hēa) (xs) ; tſōkokoma (ns) genérico / fotokoma (N) ; soloko(t)amasi genérico (S) ; xorokorima (xi) (mo) / ūūōōmī (mw) (M)
<i>Trogon</i> spp.	surucuá amarelo	karokaromī (xs)
<i>Pharomachrus pavoninus</i>	surucuá-pavão	fōkokomī (xs,xn,xf)
<i>Trogon</i> sp.	surucuá sp.	hurohuromī (xs) / kurəkurəmī (xn) / təpə hēa (xn)

• alcedinídeos:

--- martim-pescador spp. **sīemato** (xs,xn) / **siemari** (xn,wc,wx) / **sīomari** (xs,wt) + **sepreto** (xs) ; **sīaamari** (ns) / **simot^ho** (N) ; **siesiemī** + **sikasika-li** *martim-pescador grande* (S) ; **maa (uhenari)** (mo) / **siemari** (mw) / **ſakasaka-mī** *martim-pescador grande* (mw) (M)

• momotídeos:

Momotus momota juruva **hutu-mī** (xs,xn,xf) / **hutu-ma** (wt,wc,wx) ; **hutu-ma** (N) ; **hutuhutumī** (S) ; **putumī** (mo) / **huutumī** (mw) (M)

• galbulídeos:

Galbula spp. arirambas spp. **waipura-mī** (xs) / **wajupuhura-mī** (xn) / **wajahana** (xn) / **jaripora (fi)** (wt) ; **pose-hi** (N) ; **waipitio-mī** (S) ; **hutu (mixito)** (mo) / **tēetēe-mī** (mw) (M)
Jacamerops aureus jacamaracu **waro-ki-hēa** (xs,xn) ; **waaroma** (N)

• buconídeos:

Bucco capensis rapazinho **hōroſoſoamī** (xs) / **ōrōſōſōōmī** (xn) / **hōrokosoma/warokosoma** (wt,wx) ; **hōrosoma** (N)
Monasa atra bico-de-brasa **jōreketeramī** (xs) / **jōrokotoramī** (xs,xn) / **jōrekitiramī** (si) (xn) / **hiehiemī** (xs) / **hitatoma (kosi)** (wt) ; **ṭjikoromasi** (N) ; **tsolopitiāmī** (S) ; **wajahana** (mo) / **ājapira (si)** (mw) (M)
Notharcus sp. macuru **mauhutu** (xn) / **maohutu** (xn)

• capitonídeos:

Capito niger capitão **hutukaramī (nasi, akasi)** (xs,xn,xf) / **huturea (nakasi)** (wt) ; **hutu-mosi** (N) ; **hutukanamī** (S) ; **taakarama (naxi)** (mo) / **hutuhutumī** (mw) (M)

• ranfastídeos:

Aulacorhynchus whitelianus tucaninho-verde **aroaromī (kofī)** (xs) / **aroaromo (kofī)** (wt) / **aoaomī** (xn) / **ariarima** (wc) / **aroaroma** (wx) ; **ararom-kof** (N) ; **aloalomī** (S)
Selenidera culik saripoca **huriā (anasi)** (xn) ; **hunia (nasi)** (S)
Selenidera nattereri saripoca **pore (ko[ko])** (x) ; **aom-kofī** (N) ; **aromī (tē ki hēa)** (mo) / **aroaromī** (mw) (M)
Pteroglossus flavirostris araçari **ācāemī** (xs,xn) / **aepawə** (xs,xn) / **karakaramī** (xn) / **katakatamī** (xn) ; **krēkrehema** (ns) / **kakakaka-ham-kof** (N)
Pteroglossus pluricinctus araçari **hurepa[ri] (kofī)** (xs,xn) / **hurepaja** (xn) + **piremari** (xs) / **pirimari (kofī)** (wt) / **miremari** (wc) / **meremere** (wx) ; **pīrim-kof** (ns) / **mirim-kof** (ns) / **pīri-hīm-kof** (N) ; **halepali** + **penepenemī** (S) ; **are (heko)** (mo) / **periperimo (kofī)** (mw) (M)

<i>Ramphastos vitellinus</i>	tucano-de-bico-preto	krēomari (xn,wt,wc,wx) / k(r)ētōrī (xs) ; kiamari-una (ns) / kēamari (nn) (N) ; ketoni (S) ; kēmari (mo) /
madzípi (una) (mw) (M)		
<i>Ramphastos tucanus</i>	tucano-grande-de-papo-branco	majepí (xs,xn) / majepu (xf) / majupí (wf) / majepə (wt,wc) / majapa (wx) ; matsoipi (ns) / matsoip (N) ;
asopa / matsupí (S) ; madzopí (mo,my) / madzípi (mw) (M)		
---	tucano majepí (de tamanho grande)	parawamí (xs) / parawari (xs)

• picídeos:

<i>Picumnus exilis</i>	telegrafista	ripuhusirimí (xs,xn,xf) / mii (masi) (wt) ; hoapa-akasi (N) ; tīitī (tə) (mo) / ōra (he) (mw) (M)
<i>Melanerpes cruentatus</i>	pica-pau-benedito	tōrefeṣeamí (xs,xn,xf) / fōtetema (wt) ; hēherama (ns) / hērama (N) ; ātelemí (S) ; ēhēhēo (namo) (mo) /
ſetetemí (mw) (M)		
<i>Veniliornis cassini</i>	pica-pau-de-colar-dourado	suririamí (xs)
<i>Piculus flavigula</i>	pica-pau-de-bufador	foko hē (xs)
<i>Celeus</i> spp.	pica-pau-chocolate	(h)ōapa (xs,xn,wx) / ſōakama (hū) (wt) ; krēkrē (N) ; naxirima (mo) / iro (he) (mw) (M)
<i>Celeus torquatus</i>	pica-pau-de-coleira	tomari (mo) (xs) / ſōakamí (xn) / pōakamí (xf,wx) / fuririamí (xn) ; ſoakamí (S) ; əxəma (M)
<i>Campephilus</i> sp., <i>Dryocopus</i> sp. pica-pau grande	heſamí (xs) / efamí (xn) / toromí (xs) / əfəma (wt,wc) / iſiama (wx,wf) ; hoapa (ns) / waapa (N) ; teso(s)amí (S) ; əxəma (mo) / sipəkətəmí (mw) (M)	

• euripigídeos, heliornítidesos (picaparra), ralídeos, psofiídeos & aramídeos (carão):

<i>Eurypyga helias</i>	pavão-do-pará	ſarerea (xs) / ſererea (xn,xf) / henaharima (wt) ; mauma (N) ; suemí (S) ; jawara (mo) / mau (u-kanehere) (mw) (M)
<i>Aramides cajanea</i>	saracura	kōſākā (hī) (xs,xn) / kōſēkā (xn) / fō[a]kāta-mi (xf,wf) / kō(o)kāta (mo) (wt,wx) / raakō (wc,wx) ; rāko (N) ;
hokahokamí (S) ; nako (mo) / hohori (na) (my) / rā(a)ko (mw) (M)		
<i>Porphyrrulla</i> sp.	frango-d'água	ſōə[ʃōə]mí (xs,xn)
<i>Psophia crepitans</i>	jacamim	jāpi (Y) [cf. guinau/baré jābi] ; jāpi-hī (N) ; tsapi (S) ; jāpi (hī) (M)

• caradriíformes (jaçana, maçarico, gaivota, etc.):

<i>Actitis macularius</i>	maçarico-pintado	korosikeekeemorewə (xs) / kojoſikəəkəəmorewə (xn) / fikēekēema (wt) ; kamakali (S) ; tūetūe (tə) (M)
---------------------------	------------------	---

• columbídeos:

<i>Patagioenas</i> spp.	pomba spp.	ōipoſoko-mi (xs) / makapoſoko-ma (wx) ; paſpaſko-m (ns) / poſpoſko-m (nn) (N) ; wakoka (S) ; pore (hēa) (M)
<i>Patagioenas fasciata</i> , <i>P. subvinacea</i>	pomba-de-coleira	kotapo-mi (S)
<i>Patagioenas</i> sp.	---	prōomí (xn)

Geotrygon montana

Leptotilla verreauxi

Leptotilla rufaxilla

???

pariri

juruti-pupu

juruti-gemedreira

hoja (x,wt,wc,wx) / **jakohe** (xn) / **jakofe** (xf) ; **hotſa** (N) ; **hotsa** (S) ; **odža** (M)

horeto (x,wt,wc,wx) [cf. wapixana, baniwa] ; **horeto[-ri]** (N) ; **holeto** (S) ; **odža** (M)

siririmí (xs,wt) / **sirima (namo)** (wx)

həkəhəkəmí (xn)

• opistocomídeos:

Opisthocomus hoazin

jacu-cigana

hāſa (na) / ſāſā[e] (na) (xs,xn,xf,wt,wc,wx) ; **fafae-na** (N) ; **sasa-na** (S) ; **xexe (na)** (mo) / **ſeſe (na)** (mw) (M)

• cuculídeos:

Crotophaga spp.

anu **kōsiremi** (xs,xn) / **aiāmo (si)** (xs) / **kōsara (si)** (wt) ; **kōariki** / **kōsira** (N) ; **koteamí** / **oni-kutemi** (S) ; **moxere** (mo) / **āorimi** (mw) (M)

Neomorphus rufipennis

māe-de-porco

ahə[mi] (ana) (xs,xn,xf) / **əima (ona)** (wt) ; **ahə-na** (N) ; **amo (una)** (S) ; **kara (na)** (mo) / **taha (na)** (mw) (M)

Piaya cayana

tincoā

kaſəſəamí (xn) / **kaſiſi[a]mí** (xs) / **fikōjamí** (xf) / **ōkrahēama** (wt) ; **fiktaromi** (ns) / **fik(i)taroma** (N) ; **su(h)emí**

(S) ; **tēkere (reoxi)** (mo) / **tikoamí** (mw) (M)

Tapera naevia

saci

jēſitekeremí (xs) / **jeiſitākaramí** (xn) / **jēeſi-ma** (wt,wx) ; **jēeſi** (N) ; **xixikēkēmorima** (M)

Coccyzus sp.

papa-lagarta

talatalumí (S)

• caprimulgiformes:

[caprimulgídeos]

bacurau

makoajo-mi (xs,xn) / **makuajo-mi** (xs,xf) / **kō(h)ajo-ma** (wt,wc,wx) [cf. guinau kuajau, maxkuade] ; **paiwaka** / **kawatſo-**

m (N) ; **makaitso-mi** (S) ; **kōakōadžə-mi** (mo) / **tōratōrai-mi** (mw) (M)

Nyctibius griseus

urutau

wajahoromí (xs,xn,xf) / **wajaho(o)ma** (wt,wx) ; **patſaharoma** (ns) / **watſaharom** (nn) (N) ; **watsaholomí** (S) ;

waeheoma (mo) / **wadžohomí** (mw) (M)

• troquilídeos:

beija-flor (genérico)

tēſo (xs,xn,xf) / **tifō[ri]** (wt,wc,wx) / **tōſo** (wf) ; **tēſo** (N) ; **teso** (S) ; **tixo (tə)** (mo,my) / **toſo** (mw) (M)

Oxypagon giguerini

beija-flor sp.

hapapa[-teri]mí (xs) / **hapapa[-t̥heri]mí** (xn)

Phaetornis sp.

rabo-branco sp.

piſepiſemí (xs) / **piſipiſimí** (xs) / **peſipesima** (wx)

Phaetornis sp.

rabo-branco sp.

toho (mamo) (xs)

• apodídeos & hirundinídeos:

andorinha

ſoro[ri] (xs,xn,xf) / **ſiro(jiro)** (wt,wc,wx) / **ſioſari** (wf) ; **ſorori** (N) ; **solo** (S) ; **xirorima** (M) + **wakokoa[mi]** (xs,xn)

andorinhão **siriſiri[mi]** (xs,xn,xf,wc,wx) ; **siripahi** (ns) / **siripari** (N) ; **silisili** (S) ; **xiomari** (mo) / **ſiro** (mw) (M)

• psitacídeos:

<i>Ara</i> spp.	arara	ara (Y) ; ara-si (ns,nn) (N) ; ala (S) [cf. guinau ala, arawak, tupi-guarani]
<i>Ara macao</i>	arara-canga (vermelha)	ara (hena) (xs) ; kohai-si (ns,nn) (N) ; ara (xi) (mo,my) / harami (mw) (M)
<i>Ara ararauna</i>	arara-canindé	marakana (hena) (xs,xn) [cf. nheengatu, via arawak, karib] ; warapa-na (ns,nn) / kararawi-si (nn) (N) ; kararo (mo,my) /
kataro (mo,my,mw) [cf. karib, arawak] (M)		
<i>Ara severus</i>	maracanã	hērekehērekemí (xs,xn) / wəte (mo) (wc,wx) / weto (mo) (wt) ; hirihinak / mārakana (N) ; ala-hena-mi (S) ;
are (mo) (mo) / wate (mofi) (mw) (M)		
<i>Orthopsittaca manilata</i> , <i>Aratinga leucophthalma</i>	maracanã, ararinha	hirihirimí (xs,xn,xf) / hērehēre (nasi) (wt) ; hērehēre (N) ; hērehēre[mi] ([u]na) (M)
<i>Pyrrhura</i> sp.	tiriba	hāre[hāre]mi (nasi) (xs,xn) / fāremí (nasi) (xf) / hērehere-ma (wx) / hērehēre (nasi) (wt) ; t̄etemīna (S)
<i>Phyrrhura</i> sp., <i>Aratinga</i> sp.? ararinha		kāakāamí (xs,xn)
<i>Brotogeris chrysoptera</i>	periquito-de-asa-dourada	fuku-mi (na) (xs,xn,xf) / fiki[ki]-ma (wt,wc,wx) / fiki[ki]-mi (wf) / karari (xn) ; ſifiki-ma (N) ; siki-mi (S) ;
xikixiki-mi (na) (mo) / xirixiri (na) (my) / fikiri-mi (na) (mw) (M)		
<i>Pionus menstruus</i>	maitaca	arima (Y) ; arimi (N) ; anima (S) ; arima (M)
<i>Pionopsitta barrabandi</i>	curica-caica	tōi (xs) / t̄ōi (wc,wx,wf) / t̄ōko (nasi) (pa) ; t̄oi-nasi (ns) / t̄oi-mana (nn), ōrikim (N) ; t̄oni (S) ; tāri (tə) (M)
<i>Pionites melanocephalus</i>	marianinha	waweimí (xs) / wawəimí (xn) / waahima (wc,wx,pa) / waahema (wt) ; waima (N) ; wa(w)imí (S) ; xama
(təxina) (mo) / fama-jamaka (mw) (M)		
<i>Amazona amazonica</i>	papagaio-curica	korekoremí (xs) / kurukae (si) (wt) / kurekaasi (wc) / kunekunema (wx) ; sawasi (N) ; wadzakawadzaka
(mo) / kehekehemí (si) (mw) (M)		
<i>Amazona festiva</i>	papagaio-da-várzea	kuaokuaomí (xs) ; koakoamí (mw) (M)
<i>Amazona farinosa</i>	papagaio-moleiro	werehi (xs,xn,xf) / werehe (koko) (wt,wc,wx) / werefē (wf) / kurikaja(-mi) (xs,xn,xf) [<>] ; wirihi-ko-k (N) ;
kulikatsa (S) ; [we]rehe (ko) (mo,my,mw) / farasaramí (mw) (M)		
<i>Amazona farinosa</i> ssp.	papagaio-moleiro	farasara-mi (xs) / fara(fara)[-ma] (wc,wx) [cf. pemon <i>saroma</i>]
<i>Amazona ochrocephala</i>	papagaio-campeiro	kuato-mi (xs) / kuato-ma (wc,wc) ; koato-ma-si (N) ; koakoama (mo) / toretoremí (mw) (M)
<i>Deroptyus accipitrinus</i>	anacā	hūriahūriamí (mo) (xs) / kīrakīramí (mo) (xs,xn,xf) / kīrakīrama (wx) / kīrakīra (mo) (wt,pa) ; tsaktsak-(k)uma
(N) ; xinaxinama (tə) (mo) / kinakinamí (mw) (M)		

• furnariídeos & dendrocolaptídeos:

<i>Xenops</i> sp.	bico-virado	konakona-hojarewə (xs)
<i>Sclerurus</i> sp.	vira-folha	sikoemí (xs) / sikoaremí (xs)

<i>Dendrocolaptes</i> sp.	arapaçu sp.	joparami (xs,xn) / jōkikimi (xs) / jōkohimi (xs,xn) / jōkihima (usi) (wt) ; tsokhima (N) ; tsokihimi (S) ; jōkohrima (uxu) (mo) / arikima (mw) (M)
<i>Glyphorynchus spirurus</i>	arapaçu-bico-de-cunha	surisurimi (una) (xs,xn) / tisitifitari[wə] (xs,xn) / tisitifima (una) (wx) / tisitifi (ona) (wt) ; fanisani (masi) (S) ; tixuare (M)
<i>Xiphorhynchus guttatus</i>	arapaçu-de-garganta-amarela	wana[wana] (usi) (xs,xn,xf)

• tamnofilídeos & formicariídeos:

<i>Cymbilaimus lineatus</i>	papa-formigas-barrado	soapeepeemí (namo) (xs,xn,xf) / soapeepee-ma (wt) ; sama-kotsoa (S)
<i>Taraba major</i>	choró-boi	tokotokomi (nasi) (xs) / tōko (nasi) (xn) / tokotokoma (wt) ; toko-nasomo (S) ; hōkohokomorima (M)
<i>Thamnophilus punctatus</i>	choca	aroamí (xn) / pifewə (xn) / ujifimí (xn) / karihirima (ki hēa) (xn)
<i>Thamnophilus</i> sp.	choca	sokasokamí (xs,xn)
<i>Dysithamnus mentalis</i>	choquinha-lisa	ōtūsirimí (xn)
<i>Hylophylax</i> sp.	guarda-floresta	kufijimí (xs) ; sātetemí (S)
<i>Hypocnemis cantador</i>	cantador-da-guiana	ikekeamí (xn) / wāfōfōremí (xn) ; sātetemí (S)
<i>Myrmoborus myotherinus</i>	formigueiro	toſari (mo[ji]) (xs)
<i>Myrmotherula longipennis</i>	choquinha	siekēekēemí (xs) / suri (na) (xn) / firi (na) (wt)
<i>Myrmotherula menetriesii</i>	choquinha	waju (mosi) (xs)
<i>Myrmotherula</i> sp.	choquinha	fururuaemí (xs) / sururuaemí (xn)
<i>Formicarius colma</i>	galinha-do-mato	hīomari (mosi, mosi) (xs,xn,xf,wx) hīomori (mosi) (wt) ; hīi-moſi (ns) / hīo-moſ (N) ; hīomani (masi) (S) ; kōapere (təmoxi) (mo) / wajamori (moſi) (mw) (M)
<i>Grallaria varia</i> , <i>Myrmothera</i> sp. tovacuçu		popomarī (xs,xn,xf) / poapoa (namo) (wt) ; makokoma (N) ; popomani (S) ; hōroroma (nahiki) (mo) / tōromí (nasi) (M)

• tiranídeos:

<i>Tyrannus savana</i>	tesourinha	maihiomí (xs,xn) / pahitioma (wx) / maihitirioma (wt) ; maitmaitiama (ns) / maitmaitiom (N) ; maipitiom (S) ; maipirio (tə) (mo) / maihibimí (mw) (M)
<i>Pitangus sulphuratus</i>	bem-te-vi	tēatēa-mi (xs,xn) / siramí (xf) / tēatēa[-ma] (wc,wx,wf) / kāhea-ma (wt) ; hestepre (N) ; tēatēa-mi (S) ; rēemi/i (tə) (M)
<i>Terenotriccus erythrurus</i>	papa-moscas-uirapuru	ni[j]ō[pi]sirimí (xn)
<i>Tyrannulus elatus</i>	maria-te-viu	hoi[hoi]mi (xn)
<i>Corythopis torquatus</i> (?)	estalador-do-norte	prietiramí / hietiramí (xs)

• cotingídeos:

<i>Cephalopterus ornatus</i>	anambé-preto	[h]uumi ^(xn) / tuumotima ^(wt)
<i>Cotinga cotinga</i>	anambé-de-peito-roxo	tiriri(mí) ^(xs) / sei (si) ^(wt)
<i>Cotinga cayana</i> (mw) (M)	anambé-azul	hèimí ^(xs,xn) / hèima ^(wt,wc,wx) ; heuma-si ^(ns) / hoima-s (N) ; hamosi (S) ; jèi (xi) / hèimí (xi) ^(mo) / hèimí (si)
<i>Xipholena punicea</i>	anambé-roxo	kohararomí ^(xs) / kuhararomí ^(xn) / kotatama ^(wc,wx) ; kutatumí ^(mw) (M)
<i>Lipaugs vociferans</i>	cricrió	hāihāijomi ^(xs,xn) / fāifāijomi ^(xf,wf) / h ^w āih ^w ai(j)a-ma ^(wt,wc,wx) ; p ^h āip ^h aijoma ^(ns) / hōihojōma ^(N) ;
haihaiomí (S) ; kohao^(mo) / haihaimí^(una) (mw) (M)		
<i>Phoenicircus nigricollis</i>	saurá	toru (wakə) ^(xs) / t ^h oru (wakə) ^(xxn,xf,wc,wx) / pažo (jí) ^(wt)
<i>Perisocephalus tricolor</i>	maú	waomí ^(kojí/kona) ^(xs) / waoma (ona) ^(wt,wx) ; waasi ^(ns) (N) ; waomí (S) ; pao (hana) (M)
<i>Rupicola rupicola</i>	galo-da-serra	ēhoa-mí ^(xs) / ēhoa-mí ^(una) ^(xn) / ēhoa-ma ^(wx) / ēha-ma (ona) ^(wt,wc) / ēhoa-mí ^(wf) ; hāoma ^(N) ; eoni (S) ;
hajōrima^(mo) / āoremí^(mw) (M)		
<i>Tityra</i> spp.	anambé-branco	kōetēkōetēmí ^(xs) / kōetēkōetēma ^(wt) ; kōetkōetema ^(N)
<i>Pachyramphus</i> sp.	caneleiro	kōa(kōa)pētēramí ^(xs) / kōapatariwə ^(xn)

• piprídeos:

<i>Manacus manacus</i>	rendeira-branca	kriit ^h amí ^(xs) / kriit ^h ama ^(wt) ; tāhitāhima (N) ; kītikitímí (S)
<i>Lepidothrix coronata</i>	dançarino	apia (mosi) ^(xn) / apiomí (mosi) ^(xs) / apia-ri (mosi) ^(wt) ; pirim-aží (N)
<i>Pipra erythrocephala</i>	dançarino	(k)ārikinamí ^(x,w) / taisinakamí ^(xs)
<i>Pipra</i> sp.	dançarino	huimí ^(xs,xn) / witokajamí ^(xs,xn) ; huihuimí (S) ; hiimotorima (tə) (M)
<i>Pipra</i> sp.	dançarino	tākāimí ^(xs) / tārakaomí ^(xs)
<i>Pipra filicauda</i>	rabo-de-arame	koa-wakə-theri-mí ^(xn) / pata-u-theri-mí ^(xn) ; hisikasihahanhai (S)

• corvídeos:

<i>Cyanocorax violaceus</i>	gralha	pi[j]a-wa (namo) ^(x) / pio-ma-ri (namo) ^(wt,wc,wx) ; pipia-namo (N) ; kinakina-mí [^{<?} espanhol querequere] (S) ;
tapa (axi)^(mo) / piapiamí^(una) (mw) (M)		

• donacobiídeos:

<i>Donacobius atricapilla</i>	japacanim	kōaikōai (N) ; kōaikōai-mo-ti-ma (M)
-------------------------------	-----------	--------------------------------------

• troglodítideos:

---	garrincha	oſe (ana) (xn) ; sitopoli (S) ; sitototopi (M)
<i>Microcerculus</i> sp.	? (ou é um arapaçu?)	tuſekifekimi (xs,xn)
• <u>turdídeos:</u>		
<i>Turdus</i> sp.	sabiá spp.	jēhirajomi (xs), jōroſiemī (xs) / jōroſiamī (xn) / jōrefiamī (xn) / jōriſiama (wt,wx) ; kōraſina (N) ; tsoloſamī (S)
; kōroroxi[ma] (mo) / jōrasimī (mw) (M)		
<i>Turdus albicollis</i>	sabiá-coleira sp.	pukumato (xs) / pakomato (xs,xn) / jarapiamī (xs) ; pakama (M)
• <u>icterídeos:</u>		
<i>Cacicus cela</i>	japiim	ājakōramī (xs,xn) / ājakora (wx) / ājokora (wt,wc) ; uſaro (ns) / iſaro / aikōra / aipāra (N) ; isalo (S) ; kori (mo)
/ ājokora (my) / iſaro (mw) (M)		
<i>Cacicus haemorrhouſ</i>	guaxe	hiomī (si/mo) (xs,xn,xf) / kijaromi/kujaromī (xs,xn,xf) / iſāromī (xn,wf) / iſaro (wt,wc,wx) ; isalo (S) ; arokohepoə-
ma (mo) / iſaro (mw) (M)		
<i>Psarocolius decumanus</i> + <i>P. viridis</i>	japus spp.	kori (xn,xf,w) + kanaporomī (xs) / ſiapo (xs) / ſiapo-rokomī (xn,xf) / ſiapo-porema (wx) (Y) ; kori + napore (N) ;
koli + ſiapo-ko-mī (S) ; kori[-pata] (mo,my,mw) (M)		[cf. guinau <i>kuli</i>, wapixana <i>kurimi</i>, nheengatu <i>japu</i>]
<i>Icterus chrysocephalus</i>	rouxinol-do-rio-negro	marekojoma (xs) / rafajoma (xs) / marokoa (ſi) (wt) / marokoajoma (wx) [<] ; ūkomasitili (S)
---	graúna, chico-preto	hūſere (N)
• <u>fringilídeos, passarelídeos & traupídeos:</u>		
<i>Euphonia</i> sp.	gaturamo	ſopa (hena) (xn)
<i>Arremon taciturnus</i>	tico-tico	sina (ſi) (xs,xn)
<i>Sporophila</i> sp.	papa-capim	rikikimī (mo) (xs)
<i>Saltator grossus</i>	bico-encarnado	waikoſiemī (xs) / kokopiramī (xs,xn,xf) / pisimī (xs)
<i>Cissopis leveriana</i>	tietinga	pikimari (āſi) (xs,xn)
<i>Chlorophanes spiza</i>	sai-verde	maikona[wati]mī (xs,xn) / seimī (xn)
<i>Cyanerpes caeruleus</i> ?	---	horoeti (mo[ſi]) (xs,xn)
<i>Cyanerpes</i> sp.	---	moro-hesi-ri-mī (xn)
<i>Ramphocelus carbo</i>	pipira	sikatatomī (xs) / piſipifima (aka) (wt) ; piſipifima (N) ; nasikoemī (S) ; jei (xi) (mo) / piſipifimī (mw) (M)
<i>Tachyphonus</i> sp.	---	wārekōſ[i]amī (xn)
<i>Thraupis episcopus</i>	sanhaçu	sei (ſi) (wt) ; tſoisī (N) ; koatekoatemī (S) ; kōata (xi) (mo) / sei (ſi) (mw) (M)
<i>Tangara</i> sp.	sai	hēhēhēmī (xn)

<i>Tangara gyrola</i>	saíra	iro (he) (xn)
<i>Tangara chilensis</i>	saíra	moi (si) (xn) / uſuwe[i]mí (xs) / wiſawisamí (xn,wx)

Aves não identificados: **haikiamí** (xn) (passarinho), **hiehiemi** (xn) (passarinho), **iwa (hēa)** (xn), **irími (si)** (xs), **kaisaramí** (xs) (passarinho), **kitatomí** (xn) (passarinho vermelho), **kuihimí** (xs), **moju (si)** (xs), **ōikosisimí** (xs), **parahirimí** (xs), **pato (si)** (xs), **piſā (āsi hēa)** (xn), **raromí (kona)** (xn), **sūhariomí** (xs) / **sūhareamí** (xn), **ſaro (si)** (xs), **ſieketeramí** (xs), **ſiotoremí** (xs), **ſitiparimí** (xn), **ſiweſiwemí** (xn), **tāakāimí** (xn), **tāatāamí** (xs), **tekoatekoamí** (xs), **tijetiramí** (xn), **tōitōimí** (xs), **tokrekemí** (xs), **toreremí** (xn)

RÉPTEIS

- lagartos:

---	iguana, camaleão	ſamarīo (wt) ; harakatſi (N) ; ſisali (ki) (S) ; xikuekuema (M)
<i>Anolis</i> sp.	papa-vento	purunama (usi) (xs) / puru (usi) (xs,xn) / ihiru (noreſi) (xn) ; maſitram (N) ; xōexōe (mo) / reha (akana) (mw) (M)
<i>Plica umbra</i>	lagartixa sp.	reha (xs,xn,wt,w) / refa (xf) ; roho (N) ; neamí (ki) (S) ; xikuekuema (mo) / ſōeſōemí (mw) (M)
<i>Thecadactylus rapicauda</i> (mw) (M)	osga sp.	ſefehari (xs,xn) / ſəfəhari (xs) / ſefehari (xf) / kraākakrākama (wt) ; maſitram (N) ; ſisali (kiki) (S) ; tēetēei (mo) / ſōeſōemí (M)
<i>Bachia</i> sp.	lagarto ápode	jēemí (xs) / jeimí (nakí) (xn)
<i>Uranoscodon superciliosus</i>	tamaquaré	reaamo (xs,xn,xf) / seroroma (wt) ; matutumo (N) ; xikuekuema (mo) / watuma (aka) (mw) (M)
<i>Mabuya mabouya</i> (S) ; hekōutema (M)	calango-liso	tomo (xs) / thomokoja (xs,xn) / temokoja (xf) / əramari (jí) (wt) ; kurara-aka (ns) / thomat (N) ; hutuhutumi
---	calango	wai[ma] (atō / aka) (Y) / waraima (xn) ; mai-ātʰo / waitʰiri (N) ; toma (kiki) / walaima (S) ; maima (mo,my) / waima (aſi) (mw) (M)
<i>Ameiva ameiva</i>	calango-verde	faraima (a[ka]tō) (xs) / reama (xn,xf,wx) ; opana (N) ; waima (kiki) (S)
<i>Tupinambis teguixin</i> teju	tarara (xs) / warahokoma (xn) / warahiko (xn) / wāsikara (wt,we,wx) ; okana (N) ; maki (ki) (S) ; waxikara (mo) / wasakara (mw) (M)	
???	lagarto grande	iwaiwa (natʰa siki) (xn) / uwāmae (xf)

- cobras:

Genérico: **ori** / **oru ([ki]ki / [ku]ku)** (Y) ; **ori-ki** (ns) / **ori-ki** (nn) (N) ; **olí ([ki]ki)** (S) ; **ori (ki)** (mo,my) / **uru (ku)** (mw) (M) [cf. guinau údži]

<i>Amphisbaena fuliginosa</i> (mo) / siputu (ku) (mw)	cobra-de-duas-cabeças	hiputu (ki) (xs,xn,wt,wc) / heputu (wx) ; huputu-ku (ns) / hispitima-k (N) ; heputu (kiki) (S) ; puhutu (ki)
<i>Boa constrictor</i>	jiboia-branca	hetu / hokoto (Y) ; hetu-ku (ns) / heti-k (nn) (N) ; hetu / hokoto (kiki) (S) ; (h)etu (ki) (mo,my) / etu (ku) (mw) (M)
<i>Epicrates cenchria</i>	jiboia-vermelha	wata (ki) (xs) / wath'a (ki) (xn,xf,wt,wx) ; wath'a (kiki) (S) ; mata (M)

<i>Corallus caninus</i>	cobra-papagaio	werehe (kiki) (wt) ; kulikatsa (S)
<i>Eunectes murinus</i>	sucuriju	waikōja (x,wf) / ōkarī-ma (t^hoku) (wt,wc,wx,wf) ; ōkarim-t^hok + komkarak (N) ; waikotsa (S) ; ikarima (toki) (mo) / dʒoamo (toku) (mw) / hewə (toki) (my) (M)
<i>Clelia clelia</i>	muçurana	mamohərəmī (ki) (xs,xn,xf,wx) ; mamo-hore-makə (N) ; usiusilemī (S) ; poxi (ki) (mo) / farama (ahiki) (mw) (M)
<i>Drymoluber dichrous</i>	colubrídeo	wajapotorema (xs) / wajapotoremī (xn) / waepotomo (ku) (wt) ; rosi-ki (N)
<i>Helicops angulatus</i>	cobra-d'água	kitakita (siki) (xn) / sikapi (siki) (xn) / kutakuta (siki) (wt) ; poo-he-t^hok (ns) (N) ; mau-ti-li (S)
<i>Leptodeira</i> sp., <i>Drymoluber</i> sp. colubrídeo		miorewə (ki) (xs,xn,xf)
<i>Oxybelis</i> spp.	bicuda	jama (aſitaki) (xs) / jamaa (aſiki) (xn) / jama (asi) (wt,wx) ; jaama-si-k (N) ; sama-masi (S) ; kamokota (mo) / fama-repo (mw) (M)
<i>Philodryas</i> sp.	cobra-facão	poowəmī (xs) / poo (kokoku/ koki) (xn) ; poo hēt^hok (N) ; po (kiki) (S)
<i>Pseudoboa cloelia</i>	colubrídeo	prosi (siki) (xs) / komomorema (moki) (xn) / prosi (siki) (wt) ; rosi-k uſi (N) ; plosi (isiki) (S)
<i>Spilotes pullatus</i>	caninana	marafa (xs) / wāraſāa (ki) (xn) / māraſī (kiki) (wt) ; marasa (N) ; manasi (S) ; ōko (maxiki) (mo,mw) (M)
<i>Tantilla melanocephala</i>	colubrídeo	itahi-ſirimī (ki) (xs,xn)
<i>Xenodon severus</i>	boipeva, cobra-sapo	rahara ([ko]siki) (xs,xn)
<i>Micrurus</i> spp.	cobra-coral	huwə (mosiki) (xs,xn) / hoo (maſi) (wt) / hoo (moſi) (wx,wf) / jarima//narima (wc) ; rāra-imiki (ns) / nara-imiki (ns) / nārik (N) ; nano (S) ; aripori (moiki) (mo) / mata (ki) (mw) / karema-re (axiki) (my) (M)
<i>Lachesis muta</i>	surucucu	prēreima (ki) (x) / prērima (wt,wc) / misiki-pirioma (wx) / patarimī (wf) ; fama-rī-k (ns) / patharimak (N) ; isikolosima (S) ; karema (axiki) (mo) / perima (ki) (mw) / perima (ki) (my) (M)
<i>Bothrops atrox</i>	jararaca terrestre	karihiri-ma (xs) / karahiri-ma (xn) / ka(r)ihiri[a]-ma (wt,wc) ; karihirima kə (N) ; kali(h)omī (S) ; kaihirima (ki) (mo) / wadʒipirī (ki) (mw) (M)
---	jararaca arborícola	arawao-mi (xs) / aro(w)a-mi (xn,xf,wx) / aro-ma (wt) / aro(w)a-ma (wx) ; ārearemə-k (N) ; aloamī (S) ; aromi (ki) (M)
<i>Bothrops</i> sp.	jararaca sp.	waro (ki) (xs,wc,wx) / waroma (ki) (wt) ; waro-k (N) ; walo (S) ; aromi (ki) (mo,my) / warumi (ki) (mw) (M)
---	monstro aquático	rahara (ki) (xs,xn,wt)
Cobras não identificadas: hōkō (siki) (xn) / hōkō (masikī) (wt) / hoko-masik (N), mioma (akahekī) (xs), warapa-kohirimī (ki) (xn), waikōja (kosiki) (xs) ;;; ſiwhirokamak, ſōmarik, māimak (N) ;;; piomai (S)		

• outros réptis:

<i>Caiman crocodilus</i>	jacaretinga	iwa (xs,xn,xf,wx) / iwa (wt) / ioa (wc :sic !) / iwe-ri (wf) ; we-ri (ns,nn) (N) ; iwa-t^ha-mi (S) ; wi-ri / we-ri (M)
<i>Paleosuchus</i> sp.	jacaré-coroa	janajanari (si) (xs) / jāwariromī (si) (xs) / janari (si) (xn) / jamora (si) (wt) ; tsariwe (nn) [<> pemon] (N) ; āhu (mo) / āhohi (mw) (M)
<i>Melanosuchus niger</i>	jacaré-açu	waiporo (xs) / poapoa (wt) ; korata-o / korato [<> karib] (N) ; poapoa (mo) / poopoa (mw) (M)
<i>Geochelone</i> sp.	jabuti	totori (pə) (w) / totori (a) (w) (Y) ; totori / (wa)jāporihi-p [<> karib] (N) ; totoli (a) (S) ; kotori (pə) (mo,my) / totori (mw) (M)
<i>Podocnemis unifilis</i>	tracajá	apiari (wc) [<> bahiana <i>awijaru</i>] / pisa (wt) ; pisa (N) ; pisa (M)
<i>Chelus fimbriatus</i>	matamatá	tahamī (xs,xn) / hatamī (xs) ; mahuari (pəki) (M)

Platemys platycephala
Mesoclemmys gibba

jabuti-machado
cágado-de-poça

posotomi (xn) / **mosotomi** (xf) / **prəʃətomí** (xs) ; **hepei** (pəki) (M)
misiukəmí (pə) (xs) / **misi** (xn) / **misi** (xn) / **waemore** (mohi) (wt) ; **masitoi** / **mísitoi** (S) ; **wajamori** (hī) (M)

ANFÍBIOS [© : comestível]

<i>Bufo marinus</i>	sapo-cururu ©	jojo (x,wt,wc,wx) + tororo (xs) / t^hororo (xn,xf) / tooro (wt,wc,wx) ; tsotso + tooro[ro] (N) ; tsotso + tololo (S) ;
poromo (ko) (mo) / poroamo (ko) (mw)	<i>sapo-cururu-grande</i> + tororo (mo) / toropo (mw) (M)	
<i>Bufo typhonius</i>	sapo-folha	krōkō (xs) / krōko (xn) ; kolokala (S)
<i>Adenomera andreae</i>	sapo	hemare (mosi hēa) (xs)
<i>Adenomera hylaedactyla</i>	sapo	pritipritimí (xs) / pretipretimí (xn)
<i>Eleutherodactylus</i> sp.	sapo	piripirimí (xf) / pikipikimí (xn)
<i>Hyla boans</i>	perereca ©	haroa (xs) / prōaprōamí (xn,xf) / prōuprōumí (xn) / krouma (we,wx) ; popramo (N) ; ploaploamí (S) ; kotou (mo) / krōokrōomí (mw) (M)
<i>Hyla lanciformis</i>	perereca	kōrepawə (xs,xn) / kōrepiwə (xs)
<i>Hyla marmorata</i>	perereca sp.	kuhai-ma (xn) / kuai-mí (xs) / kufraima (xf)
<i>Osteocephalus taurinus</i>	perereca ©	moka (a) (x,wt,wc,wx) ; moka (N) ; moka (S) ; moka (M)
<i>Phrynohyas resinifictrix</i>	cunauaru	wawa (hena) (xs,xn,xf) / wao (hana) (wt,wx) ; huwəhuwema (N) ; ūweima (mo) / wao (nasi) (mw) (M)
<i>Phrynohyas venulosa</i>	curucucica ©	hijeje (xn) / ōeōe (si) (wt) ; kokara (xi) (mo) / ōeōemí (si) (mw) (M)
<i>Phyllomedusa bicolor</i>	---	kunamaro (xs,xn) ; pahoma (N) ; ploakokomí (S) ; pakokoma (mo) / pakokomí (mw) (M)
<i>Phyllomedusa tomopterna</i>	---	moka (sina) (xn) / moka (si) (wt)
<i>Oolygon / Scinax</i> sp.	perereca sp.	ōkiōkirimi (xs) / ōkiri (xn) / mau (u hēa) (wt) ; amu (usi) (S)
<i>Eleutherodactylus</i> sp.	perereca sp.	akanasimí (xn) / akanasima (wx) / aka (nasi) (wt) ; poi (M)
<i>Leptodactylus amazonicus</i>	perereca sp.	kütātāemí (xs) ; kutataemí (S)
<i>Leptodactylus mystaceus</i>	jia ©	hōaihōaimí (xs) / hōahōamí (xn) / koana (xn,xf,wx) / fākōhā[mí] (xs,xn) / sarahi (ona) (wt) ; sarah-uná (ns) (N) ; koana (S)
<i>Leptodactylus</i> sp.	jia ©	p[r]ukumari (xs,xn,xf) / pəkəmari/pikimari (wt,wc,wx) ; pukupukumani (S) ; pukupukumi (mo) / pəkəmari (mw) (M)
<i>Leptodactylus</i> spp.	rā-pimenta ©	hasupí (xs,xn) / fasipi (xf) / hat^hupa (wt,wc,wx) ; hat^hupa (ns) / hat^hipí (nn) (N) ; waipili (S) ; hatupiti (mo) / hatipí (mw) + tuei (mo) + utuma (mo) (M)
<i>Leptodactylus</i> sp.	jia sp.	tefiwə (xs)
<i>Otophryne robusta</i>	perereca sp.	prēiprēimí (xs,xn) / pruehe- (xn,xf) / pēipēima (wx)
---	girino	fururuaemí (fí) (xs) / fiotorema (xn) / fāfo (xf) / fāa (fí) (x,wt) ; mostoro (ns) / remremof (N) ; kotoo (ma) (M)

Anfíbios não identificados: **aimi** (xs), **kaweima** (xn), **poami** (namo) (xs) ; **sisinam**, **poroporoam** (N)

PEIXES

- genérico: **juri** (Y) ; **tšaraka** (N) ; *tsuli peixe grande* / **tsalaka** (S) ; **xuruka** ou **xirika** (mo,my) / **džuri** (mw) (M)

- peixes lisos:

Brachyplatystoma filamentosum piraíba
Phractocephalus hemiolopterus pirarara
 (mo) / **harana** (mw) (M)

Leiarius marmoratus jandiá

Ageneiosus brevifilis mandubé

Pseudoplatystoma spp. surubim, caparari
 (mo) / **kuriti** (mw) [*< arawak kuriri*] (M)

Trachycorystes galeatus anujá, cangati

Mandis spp.: **aiaimi** (xs,xn) / **jaki** (xn) [*< espanhol*] + **amotha(mí)** (xs,xn,xf) + **mosukuturawə** (xn) / **mosukunai** (xf) + **hērosiwə** (xn) / **tōotōowə** (xf) / **tōotōoomi** (x) + **makapi** (xs,wt) / **makapí** (xn) / **kāpujā** (xn) / **kapojo** (xn) + **ſiho** (ſi) (wt) *mandi-piroca* + **patari** (wt) / **patare** (aſi) (wc) *jandeco,mandizinho* ; **kos-kos** (ns) *Pimelodus* spp. + **konoa** (ns) + **karatasi** (?) + **sīkahima** (nn) + **rapaw** (nn) + **hīniw** (nn) *peixe-sapo* (N) ; **siutu** + **konoi** (S) ; **akaraxi** (moxi) (mo) / **okarasi** (mosi) (mw) *mandi-piroca* + **patare** (mo,mw) *mandi-liso (jandeco)* + **kitikitimi** (mw) (M)

Pirinampus pirinampu mandi-grande
 ??? barba-chata
 candiru

- peixes armados:

Callichthys callichthys tambuatá sp.

Corydoras spp. tambuatá sp.

Megalodoras uranoscopus cuiu-cuiu, rabeca

Farlowella sp. acari-chato, cascudo **fina** (hi) (xs,xn)

Bodós spp.: **mosi** (hī) (xs,xn,xf) + **pioko-ma** (uſi) (we,wt) / **pioko-ri** (wx) *bodó-seda* + **toroto** (wt,pa) + **saraka** (siki) *acari-cachimbo* (wt) ; **toroto** + **rahoka** (N) ; **laka** (S) ; **watorohuma** + **huxiki-pakarema** (mo) / **wakapa** (uſi) (mw) *bodó-seda* + **paupau** (xiki) (mo) + **xikawə** (xiki) (mo) / **firoka** (siki) (mw) *acari-cachimbo* (M)
 --- certo peixe cascudo **hētōamí** (xs)

herufi-rimi (xn) / **paretomí** [*< espanhol valentón*] ; **ſirotsí** [*< português filhote*] / **pafíſí** [*<*] (N) ; **akaraxi** (moxi) (M)
kaharo [*< espanhol cajaro*] (xn) / **jarara** (xs,wt) [*< português*] / **harana** (wc) [*< bahuana*] ; **es-es-motima** (ns) (N) ; **jāiharama**

wana u (wc) [*< bahuana*] / **mamo-fatia** (wt) ; **arikoto** (N) [*< wayumará*] ; **wana-u** (M)
haraoh (xn) / **mokafito** (xn) / **koraha** (si) (wt) ; **korari** (N) ; **kahiki-paukuma** (M)
majahāri (xs) / **araremi** (xn) [*< ?*] / **kurita** (wt) / **kuriti** (wc) / **kurito** (wx) ; **tuhu-si** (ns) / **tīhi-si** (nn) / **mērōtō** (N) ; **kiriti**

tīhi (si) (wt) ; **kurutu** (ns) [*cf. pemon kurutu*] / **krito** (N) ; **heturumi** (mo) / **tīhi** (si) (mw) (M)
wakara (nahi) (wt) / **makutu** (mo) (wt) ; **wakaru** (mo) (M)
rōmi (hiki) (wt)
nakasaki-warirore-mí (xs) / **nakasaki-warirore-wə** (xn) / **nakasi-watikarama** (wt)

• percomorfes:

<i>Cichla occellaris</i>	tucunaré	mamoru (xs,xn,xf) / pāpōu [< espanhol pavón] ; poo-kosi (ns,nn) / pookofí-pata (N)
<i>Crenicichla</i> spp.	jacundás spp.	raja (amo <i>jāhe</i>) (xs) / mapuru (xs) / sama (moka) (wt) / fiwari (wt) + makerema (asi) (wt) ; harasena (ns) / rapao (ns,nn) (N) ; xōko (hū) (mo) / soko (mo) (mw) + mamokiwakui (mo) / kamokore (asi) (mw) (M)
<i>Cichlasoma</i> spp.	acarás spp.	poo (kofí) (xs,wc,wx) + pookori (wt) + posotoiwə (xs) + o(w)ənawə (xs) / o(w)enawə (xn,xf) + hujowə (ko) (xs) ; poo-kosi + heerum-kosi + husup-rapai + warisapa / manisapa [< wayumará, máku] (N) ; kuatolo (kosi) + kutumani (S) ; pare (koxi) (mo) / poo (kosi) (mw) + poo (jhi) (acará-trovão) (mw) (M)
<i>Mesonauta insignis</i>	acará-boari	wao (wt) ; waomí (M)
<i>Plagioscion squamosissimus</i>	pescada	ōōmore-wə (xn) / he-maama-pərima (wt) ; akopa [< karib < nheengatu] (N) ; he-maama-pīma (M)

• outros:

<i>Osteoglossum</i> sp.	aruanã, sulama	sara-pata (mw) (M)
[belonídeos]	peixe-agulha	morohōto (t ^h okí) (xn) / topəhiiporewə (xs) / wakə-hiipotima (ki) (wt) / pikua [< espanhol] ; hiiēkaki (mo) / koriropo (mw) (M)
<i>Boulengerella</i> sp.	peixe-agulhão	soko (huso) / təpə (hū) (xs,wt) ; firapkoo (N) ; koriropo (mw) (M)
<i>Acestrorhynchus</i> sp.	pirapucu	jaruseeseemí (xn) / jarusefema (xs) / firasira (xs) / wāi (masi) (xn) / kopi (wc) / naki-waforo (wt) / naki-wasara (wc) ; furina (ns) / firina (nn) (N) ; naki-ta (M)
<i>Hydrolycus scomberoides</i>	peixe-cachorro, pirandira	jara [< espanhol payara] / naki-rapema (wt) ; arikari (ns) / arakari (nn) [<] (N) ; naki-rapai (M)
<i>Brycon carpophagus</i>	matrinxã sp.	hatate (xn) / naraſinamoo (wt) ; naraſinom (ns) / naſihromi (nn) (N) ; warə-moka (mw) (M)
<i>Brycon</i> sp.	matrinxã, mamuri	maroha (xs,xn,xf) / pōkōu (xn) [< bocón] / mamori (wx) [< mamuri] / jarajara (wt) ; māmori (N) ; tuta (S) ; jāiwakərima (M)
<i>Salminus hilarii</i>	dourado	watahi (N)
<i>Prochilodus laticeps</i>	curimatá	arima-firimí (xs,xn) / kasi-uhutitirimí (xn) / [mil]fijatehema (wt) ; hanəpari [<] (N) ; xama (moka) (M)
<i>Curimata</i> sp.	curimatá (branquinha)	mokafiko (xn) [< espanhol bocachico] ; kōaka (N)
<i>Roeboides affinis</i>	caracídeo	joreriwə (xs)
---	branquinha	jeimowə (xs) ; xare (ma) (mo) / ūweūwemí (mw) (M)
<i>Triplotheus elongatus</i>	sardinha	kaweimí (xs) / ājukuramí (si) (xn) ; pititeema (M)
<i>Hoplias malabaricus</i>	traíra	masa-pi (xs) / masa-pi (xn) / masa[pi] (fi/fi) (wt,wc,wx,wf) ; masa-hi (ns,nn) (N) ; waxa-pa (xi) (mo) / mosa-pi (jí) (mw) (M) [> máku <i>matsa</i>]
<i>Hoplias</i> sp.	trairão	pawə / pao (wt,wx) / pao (xn) [= tambaqui] ; paa (N) ; pawí (mo) / kanapa (mw) (M)
<i>Erythrinus erythrinus</i>	jeju sp.	kuma (ma) (xs,xn,xf) / honí (wt) ; honí + oktari (N) ; hōri / honí (M)
<i>Erythrinus erythrinus</i> (mo) / tamosí (mw) (M)	acarapuru (jeju sp.)	ifaharitoremí (xs) / ifawaritomí (xs,xn) / ifawə (xn) / isapari (si) (wt) ; amatosilemí + kasai (S) ; toura (mo)

<i>Hoplerythrinus unitaeniatus</i>	jeju sp.	jeikara[ri] (xs)
<i>Leporinus</i> spp.	aracus spp.	tana-nomí (xs,xn) / patahamarima (xn) / kahuama (wt) ; kahuama (ns) / kahíama (nn) + maamasj + tjahərima
(N) ; hōhō (maxi) (M)		

<i>Nannostomus trifasciatus</i>	arari-pirá lebiasinídeo	kārari (mw) (M) makurutamí (xn)
<i>Myleus schomburgkii</i>	pacu sp.	paromena [< espanhol palometa] / marurumə (wc) / pako-heaw (<) ; waitao (ns,nn) [<] + awato (N)
???	pacu sp.	jiki-tetei (xs)
<i>Piaractus brachypomus</i>	pirapitinga	morokoto (xn) [< espanhol morocoto] ; (k)asama [< pemon] (N)
<i>Serrasalmus rhombeus</i>	piranha preta	jekəri (xs,xn) / poo (kojí) (x) / taki-ri (wt) / watupa-ri (wc,wx) ; arahao [< pemon] (N) ; pokosi (S) ; taki (M)
<i>Serrasalmus notatus</i>	piranha-caju	sipararimi (xs) / siparariwə (xn) / misi-īəri-ma (wt) / taki (wc,wx) ; siprai (N) ; orokopoa-kərima (tə) (M)

<i>Charax</i> sp.	piaba (genérico)	jaraka (Y) ; tsaraka / tsori (nn) (N) ; jaraka (na) (mo) / juri (moxi) (mo) / xoke (maxi) (my) / dʒaraka (mw) (M)
---	piaba sp.	hūsipə-mi-kojohokojohorimí (xs)
<i>Copella matae</i>	matupiri	tepaharimí (xs) / θepaharimí (xn,xf) / misi-īərimí (xn) / wapukosirimí (xn) / misi-īrima (wt) ; mamoki-perima (M)
<i>Menkhausia</i> sp.	piaba sp.	rapasimí (xn)
---	piabas spp.	epa-epa-mi (xs)
		fāru (xf) / setitirimí (xf) + tiprutarimí (xs)
<i>Electrophorus electricus</i>	poraquê	jaheti-pa (ki) (xs,xn) / jafeti-pa (xf) / kawahí (ki) (wt,wc,wx) / waimisi (wf) / morot<small>h</small>ot<small>h</small>o (ki) (wf :Roko, pa) ;
mōrot<small>h</small>ot<small>h</small>o (N) ; kawahí (M) [cf. <i>bauhana kewe</i>] [gimnotídeos]	sarapós spp.	waho (ki) (x,wt) + jāri (nat <small>h</small> a siki) (xn) / rāi (nasi ki) (wt) + majəpə (kiki) (wt) ; warao (ns,nn) + rāi t<small>h</small>ahi +
matjop (ns,nn) + maimasi (ns,nn) (N) ; waimasi (ki) (S) ; nai (taxiki) (mo) / rāi (tasiki) (mw) + madzopə (taxiki) (mo) + haroa (taxiki) (mo) (M)	arraia	sipari (xs) [< karib: kari'na, pemon-kapon, etc.: <i>sipari</i>] / jamaro (xn,xf) / jamara (aka) (wt,wc,wx,wf,pa) ; jāmaro / sotari [cf. <i>sotari</i>
<i>Potamotrygon</i> sp.		
'fogo do inferno' (N) ; tsamano (S) ; jamara (mo,my) / jamaro (mw) (M)		
<i>Synbranchus marmoratus</i>	muçum	fani (ki) (xs,xn,xf) / johomari (ki) (xs) / āopana (ki) (xs) / hiputu (ki) (wt) ; matararema (ki) / utukumari (ki) (M)
Peixes não identificados: okarota (xs), pariki-tureketurekerimí (xs), pariki-jekəhəjekəhərimí (xs), finaki-puriwatowə (xn), wəiwəimorewə (xs), jimikaki-səsərəwə (xn)		

INSETOS

- formigas:

--- formiga (genérico) **haikamí** (tə) (S)

<i>Atta sexdens</i>	saúva	koje (xs,xn,xf,wc,wf) / kojo (wt,wc,wx) ; kotse (N) ; kutsia (aka) / amutuli / kanakato [<i><yekuana</i>] (S) ; kodze (M)
<i>Pseudomyrmex</i> sp.	taxi & árvore	kani (nini) (xs) / kanihinonima (nini) (xs) / kana(j)e (nini) (xn,xf) ; tsarito-pək (N) ; kokaimasi (S) ; karae
(na) (mo) <i>a formiga</i> / kate (na)	<i>a formiga</i> (mw) / kate (nahi)	<i>a árvore</i> (mw) (M)
<i>Tachigalia paniculata</i>	taxi & árvore	pi[j]awa (namo) (xs,xn,xf) / piamari (namo) (wt) ; kafí (M)
<i>Solenopsis</i> sp.	formiga-de-fogo	kafí (Y) / pira (xs,xn) ; kafí (N) ; kasi (S) ; džuhu (na) (mo) / johika (na) (mw) / xixi (M)
<i>Hypoclinea bidens</i>	dolichoderíneo	ōkohama (xn)
<i>Cheliomyrmex</i> sp.	f-de-correição	mamisi-prei[na]ma (xs,xn) / mamisi-proinama (xf)
<i>Ectiton bruchelli</i>	f-de-correição, taoca	suri (na) (Y) ; surina-pək (N) ; luli (na) (S) ; xori (na) (mo) / juri (na) (mw) (M)
<i>Ectiton</i> sp.	formiga-de-correição (k)anae (xs) / janae (xn) / pore (mo) (xn,wx) ; sanai (S) ; hepei (na) (mo) / hēereke (na) (mw) (M)	
<i>Neivamyrmex</i> sp.	formiga-de-correição	jaruse kona (xn)
<i>Camponotus</i> sp.	taracuá	kona[kona] (Y) ; kona (N) ; kona[kona]sí (S) ; kona (M)
---	formigueiro de taracuá	tarara[ma] (kona) (xs,xn,xf)
<i>Camponotus</i> sp.	formicíneo	wapu-tiprusarewə (xn)
<i>Camponotus abdominalis</i>	formicíneo	wajahoromí (xn)
<i>Cephalotes atratus</i>	mirmicíneo	hypə[ri]wə (xs) / hypərima (xn) / hypə (wx) ; hipai (N)
<i>Pheidole</i> sp.	mirmicíneo	riri (xn) ; luli (na) (S)
<i>Pheidole</i> sp.	mirmicíneo	siriamma (xs) / siriana (xs,xn) / sirifiri (xn) / siri (na) (wt) ; sirina, sirifa (N) ; xinaima (M)
<i>Trachymyrmex diversus</i>	mirmicíneo	koreſe (xs) (vermelha, grande, cabeça chata)
<i>Trachymyrmex</i> sp.	mirmicíneo	maa (naū) (xs,xn,xf)
<i>Anochetus emarginatus</i>	poneríneo	tainama (xn) / jokarima (xs)
<i>Ectatomma tuberculatum</i>	poneríneo	ahara (ma[si]) (xs) / āhārā (āsi) (xn) / aharama (wx) / ahara (asi) (wt) ; sanai (S)
<i>Paraponera clavata</i>	tocandira	ſiho (xs,xn,wt,wc,wx,wf) / ſifo (xf) ; sio (N) ; sio (S) ; xio (mo,my) / ſiho (mw) (M)

Formigas não identificadas: **honokōre** (kosi) (xs), **krokema** (āsi) (xn) ; **askerema, awiaima** *formiga voadora*, **korosakahi, koſifina / koſafena, māmoahana pīk, waramo** (N) ; **pori** (na) (mo,mw) *formiga-tapiucaba* + **xoke** (maxi) (mo) / **fokore** (masi) (mw) + **poko** (mw) (M)

• vespas:

Genérico: **kōpina** (xs,xn,xf,wx,wf) / **kopena** (wc) [cf. wapipaxa kapida] ; **kopina** / **rer[i]mi-na** (N) ; **kopina** (na) (S) ; **herimo** ([ko]na) (mo,my) / **hirimi** (mw) (M)

Larva de vespa: **kōpina** mīpə / **kōpina** a[ha]ru(ku) (xs,xn,xf,wc,wx) / **kōpena** (amopə) (wt)

Pepsis sp. vespão **warariema** (xs) / **warerea** (xn) / **warə** (mo) (wt) ; **ware-mo** (ns,nn) (N) ; **walali** + **lilimi** (S) ; **warə** (na) (mo) / **adža-mosi** (mw) (M)

Apoica pallida beiju-caba **jeikatarawə** (xs) / **jeitakarawə** (xs) / **hisí** (xn) / **h^wesi** (wt) ; **mahe** (N) ; **tseitala** (S) ; **mahe** (na) (mo) / **kosima** (mw) (M)

Polistes canadensis caba-caboclo **kotata** (xs,wt)

<i>Polybia dimidiata</i>	tapiucaba kuriri (xs,xn) / kurira (wt,wc,wx) ; kuriro (N) ; kulili (S) ; henapo (mo) / henapí (mw) (M)
<i>Synoeca cyanea</i>	tatu-caba tutu (nasi/sina) (xs,xn,xf) ; kop-hesi (N) ; opo-kopina (S) ; kōpena (naki) (mo) / opo-si (na) (mw) (M)
<i>Stelopolybia</i> sp.	caba-macaco-da-noite mamisi-jakokorimi (xs) / mamo-kasi-jakokorimi (xn)
---	camoatim pērāwə (xs) / pērākomí (xn) / pəraa (koko) (wt) ; pāram-kok (ns) / pāra-ko (nn) (N) ; penakomi (S) ; piri (ako-na) (mw) (M)
---	ihiroma-roo[ti]-pə (xs,xn,xf)
---	karosa (xs,wx) / kasora (xn) / karoso (wt) ; kosoro (N) ; kalosa (S)
---	koahito (xn)
---	korihiotomí (xs,xn) / korihotoma (xs,xn)
---	mapoori (xs,xn) ; waponi (S) ; waporí (na) (M)
---	moroſi-jorupewə (xs) / moroſi-jorurewə (xn)
<i>vespa-vibrante</i>	pāſorā[j]emí (xs,xn) ; pasanaemí (S)
---	pore (kotopí) (xs) / porepore (kohe) (xn,wx) / pore (wt) ; kalapaimí (S)
---	wāikoja (kosi) (xs,xn)
---	wari (mahe) (xs,xn)
---	ſāſāe (xs) / ſāiſāi (xn) ; ſāſāe-na (N) ; xāexāe (mo) / sāisāi (na) (mw) (M)
---	ſihoaje (xn) ; siawai (S)
---	jīmīkaki-səsə[re]wə (xs)
---	jupu-uſiriwə (xn)
---	kutupi (xi) (mo) (M)

• abelhas:

Genérico: **puu** (Y) ; **tſoi** / **himoto** (N) ; **puu** (S) ; **imoto** (na) (mo,my) / **puu** (na) (mw) (M)

---	himoto (Y,N,S) ; imoto (mw) (M)
---	ahamí ([u]ſi) (xs,xn,xf) / puu (aſi) (wt) ; təa (aſi) (M)
---	amí (hu) (xn) / amu (hu) (xn)
---	hāſa (aſi) (xs) / jawere (wt) ; hāſo (N) ; hasa-ola (S) ; jawa / hāſā (mw) (M)
---	hiporo (xs,wt,wx) ; hipolo (S) ; kēremi (mw) / iporo (mw) (M)
---	huhupa (xs) / hihipa (xn)
---	husira (xs) / maſopoma (wt) ; hisila (S) ; waxipima (M)
---	ka[i]hiti (xs)
---	kopetei[ma] (xs,xn,xf) ; kopetema-ola (S)
---	koſiro (xs) / koſoro (wt) ; koſilo (S) ; koxoro (mo) / aranau (he) (mw) (M)

	makojopi (xs,wt) / makijopi (xn) ; maktsop (N) ; makitso (pu) (S)
	mamo-kahiwə (xs) / motoſi (wt) ; mootoxi (M)
	mamora (xs,xn) / wāmora (xs)
	masipima (xs) / maſipuma (xn) / masopoma (wt,wx) ; mam-kas-ahima (N) ; masima (S)
	maſiweti-ma (xs) / maſuwete (xn,xf)
	mīra (aſi) (xs)
	mohororipi (mosi) (xs)
	narimi (xs,xn) / narima (wt) ; nanimi (S) ; narimi (M)
<i>uruçu</i>	ōi (xs,xn,wt,wc,wx) ; oi (N) ; oi (S) ; ōi (M)
	pahakotorema (akasi) (xs) / patahari (akasi) (wt) ; waararao (mo) / warowaromo (akafī) (mw) (M)
	pahari (xs) / pari (wt) ; pari (N) ; pali (S) ; pari (M)
	paso (mo) (xs) / paso (moka) (wt) ; warəmo (mw) / huemo (mw) (M)
	pit̄a-theri-mi (xn) ; masith̄a-ola (S)
	rəpəmi (xs) / repoma (wt,wx)
	romoromo[ma] (xs,xn) / remoremo (moſi) (wt)
	suhehetu (xs)
	teſepo (xs) / teſopo (xn) / tisopo-ma (wx)
	tima (xs,wt,wc,wx) ; tima (N) ; tima (S) ; tima (M)
	wakopo (x) / wapoko (xs) / wakopa (wt,wx) ; wakopə (M)
	wariakahewə (xn)
	weokihotema (xs) / wejukuhotema (wt)
	ſaki (xs,xn,wt,wx) / ſākri (xf) ; ſakiri (N) ; s(i)āki (S) ; xaki (mo) / ſakiri (mw) (M)
	ſapomi (xs,xn) ; ſapo (N) ; ſapomi (S) ; xapoko (mo) / ſapoko (mw) (M)
<i>jandaíra</i>	jamona (xs,xn,wx) / jamana-ma (wt) ; īrik (N) ; tsamona-ma (S) ; jamora-ma (mo) / jāmana-ma (mw) (M)
	joi (xs,xn,wt,wx) ; tſoi (N) ; tſoi (S) ; joi (M)
Abelhas spp.	heraama / kariana / jamii (M)
<i>Bombus</i> sp.	mamangaba himo (xs) / himo (xn) / humo (xf) ; pām (N) ; humo / himo (S) ; rəpi (a) (M)
<i>Bombus</i> sp.	mamangaba remoremo[ma] (xs,xn,xf,wt) ; nemonemo (isi) (S) ; remoremo (aſi) (mw) (M)
• <u>cupins:</u>	
• ārepo (x,wf) / ārepa (wt,wc,wx) ; amaro-kok (ns) / ārem-kok (N) ; anepo (S) ; ārepo (ko) (mo,my) / ārepo (koſi) (mw) (M) ©	

- **aititi** (xn) / **āōtotu** (xn) / **atutu** (xn)
 - **ēreērema** (xs,xn,xf) / **īri (konafī)** (wt)
 - **hao-ma** (xs,xn,wt,wc,wx) / **fao-ma** (xf) / **haa-pī** (wf) / **rīsimā** (xs,wx) / **orawē** (xs) ; **mamo-hama (koko)** ; **rīsimo (ko)** (mw) (**M**) ©
 - **mapa (aka)** (xn) / **wapa (aka)** (xs,xn)
 - **oſe (ana, aka)** (xs,xn,xf,wx) / **koe (akana)** (wt) ©

- borboletas & lagartas:

Borboleta (genérico): **ūwaūwami** (xs) / **hura-hura** (xn) / **fura-fura** (xf) / **ſia (aſi)** (wt,wc,wx,wf) ; **arasi** / **ſiaſi-itip** (N) ; **hula** (S) ; **porapi** (mo) / **rehe** (mo) / **koropə** (mo) / **koropa** (my) / **rehe (maĩ)** (mw,my) (M)

Morpho spp. borboleta azul **hura**[**hura-mi**] (xs) / **wakrəpi** (xn) / **fura** (xf,wf) / **hura** (wt,wc) / **turatura** (wx) ; **hura** (ns) / **hira** (N) ; **hura** (M)

--- mariposa noturna (genérico) **wari** (*ma[na]he*) (xs,xn)
[esfingídeos] mariposa-beija-flor **patatari** (xs) / **wata** (*nahe*) (w)

LAGARTAS

lagarta comestível (genérico) **ataju** (xs,xn,xf); **fiaſí** (N); **totaimi** (S); **hēa** (axi) (M)

--- fesikakiwə (xf)

--- harahara (xn)

--- he-wakə-ma / he-wakə-mi (xs)

[megalopigídeos] *lagarta-de-fogo* **ihama (ū)** (xs) ; **hama sik / sumu** (ns) / **jimi (N)** ; **jawere** (mo) / **madʒipi (fi)** (mw) (**M**)

iro (ú) (xs,wx) / **iro (u)** (wt) ; **iro-una** (ns) / **iro-í (N)** ; **ilo (tuki)** (S)

--- **kasa** (xs,xn,wt,wx) ; **kasa (N)** ; **kasa (S)** ©

--- **kaʃapenoima** (xs) / **kāʃipinajoma** (xn) ©

--- **kraja** (xs,xn,wt,wx) ; **karatſa** (N) ©

--- **kitapito (siki)** (xs,xn) ©

--- mapajawə (xn) / wapa

maja (xs,xn,wt,wx) ; **matfa** (N) ; **matsa** (S) ; **maja** (M) ©

--- ni[j]ā (kī) (xn)

--- opo (mosi) (xs,xn)

lagarta de patatari **parima** (xs,xn) / **paharuma (si)** (xf) ©

--- pēē (nahe-nosi) (xs,xn)

--- purima (āhu) (xn) / pirima (hiki) (wt)

--- **wātojema** (*xs*) / **wātejoma** (*xn*) / **wātorema** (*wt*) ; **wātoram** (*N*) ; **wateama** (*S*)

wajowajo (xn) / **wajawaja** (wt,wx) ; **watſowatſo** (N) ; **watsowatſo** (S) ©

sakukumí (mo) (xs,xn) / **sakoma** (wx)

ſīahomí (xn)
ſiema ([ā]ſi) (xs,xn) / **ſia (aſi)** (xf) ; **siama** (S)

[j]akureto (xs,xn) / **jākereta** (wx) ; **tsakareto** (N) ; **tsakoleto** (S) ©

raema (si) (wc,wx) ; **jaakorema** (M)

aputuma (wt,wc) / **(h)amotumo (u)** (wx)

rakou (wc)

tsarinasi / **hōſa-nasik** / **kopari-nasik** / **māmoaha** / **rāhi** / **ſāaf** (N)
wakanani / **mosowa'ki** (S)

• dípteros:

<i>Musca domestica</i>	mosca-de-casa	mōo (xs) / mrōo (xn,wc) / potoma (xf) / prōo (wt,wc) / mōo-si-ri (wx,wf) ; rōō (N) ; moto-si-la / mosili (S) ;
poroma (mo,ny) / motete (mw) (M)		
<i>Dermatobia hominis</i>	larva de mosca (berne) moſa + mothe (Y) ; rōſa (ns) / mothe-thē (ns) / mothe-ri (N) ; mosa (S) ; motete (mo) / moxa (my) / moſa (mw) (M)	
---	coruba (ácaro)	koro-moſi (N)
[drosofilídeos]	mosquinha-de-fruta	hoihoi (xs,xn,xf) / motoſi (wt) ; moſtoro (N) ; moteteli (S) ; moſorō (M)
---	mosquinha sp.	hopotohi (xn,xf) / kōrukōru (xs) ; moſtoro (N)
---	mosquito pernilongo	ukuſi (x) [genérico] / rīo (wt) / rīo (rīje) (wc) / rēe (rēa / rīa) (wx) / neo (wf) ; potoma (N) ; huneama / ukusi <i>diptero</i>
incômodo (S) ; kāja (mo) / kāi (my) / kāju (mw) (M)		
[tipulídeos]	pernilongo grande sp.	rējə[-rējə] (xn)
---	pernilongo vermelho sp.	haja (ukuſi-pi) (xs) / haja(na) (wt,wc,wx,wf)
---	pernilongo grande	tōrētērē (hīki) (xs) / tāratāra (hīki) (wt)
[quironomídeos]	maruim	motu (ſi) (xs) / moto (ſi) (wc,wx) / opo (si) (wt) ; īkoſi (N) ; mapi (S)
<i>Phlebotomus</i> sp.	tatuquira	warapa ([ko]ſi) (xs,xn,xf,wt) ; īkoſi (N) ; opoa-ukusi (S) ; mora (masi) (M)
<i>Simulium</i> sp.	pium sp.	pareto (x) / ukuſi (w) ; kāja / kājo + īkoſi (N) ; potoma (S) ; ukuxi (mo) / kafī (mw) (M)
<i>Simulium</i> sp.	pium spp.	iro (ſi) (xs,xn,xf), pəti (xs,xn,xf) ; iroſi (N)
[tabanídeos]	mutucas spp.	pōtoma (xs,wt,wc,wx) / motoma (wc,wx) [<i>loko botoba</i>] ; himosi / honore (N) ; huniamā (S) ; korao (hexi) (mw) / potoma (mw) (M)
---	mutuca preta	ira (āsi) (xs) / sira (asi) (wt)
---	mutuca sp.	p[r]ukima (xs,xn,xf) / pukuje (xn) / warə (āsi) (xn) ; pīkhiri [<i>chamicuro pohkili</i>] (N)

• outros:

Gafanhoto (genérico):	sikisiki-mi (xs,wf) / sekiseki-ma (xs,xn) / k(r)esika-ma (wt,wc) / kəsika-ma (wx) ; sīsikima / kasikasiam (N) ; kutsuma (S) ; koxima (mo,my) / kōsirima (mw) (M)
Grilo (genérico) :	kuju[ru]ma (xs,xn) / kirikirimī (xn) / kujuma (wt,wc) ; prem-kosi (ns) / tſitſom-kos (nn) / pāſierima (N) ; tililima (S) ; koxima (mo) / kōsirima (mw) (M)
[grilídeos]	grilo sp.
<i>Gryllotalpa hexadactyla</i>	grilo-toupeira
???	ortóptero sp. (= fasmóptero ?)
[fasmópteros]	fasmóptero
---	cigarra sp.
(S) ; hoke (maxi) (mo) / rōrō (kona) (mw) (M)	makurutamī (xs) / makukuſimī (xn) / kuukuumī (xn) hereimaorewə (xs) / hərəhərəma (wt) ; nap-ēi-ēi (N) ; hopima (S)
---	cigarra sp.
---	cigarra sp.
---	cigarra sp.
[fulgorídeos]	jequitiranaboa
[mantídeos]	louva-a-deus
[libelulídeos]	libélula
(hiki) (mo) / rui (ſi) (mw) (M)	rōrō-mi (xs,xn,xf) / roro (kona) (wt,wc,wx) ; tōō-korona (ns) / jēefi-korona (ns) / tōromkona (N) ; nononomi (S) ; siēisiēi-mi (xs) / seisei-mi (xs,xn) / ſeife-mi (xf) / ſieifſieima (wt) ; seiseimi (S) ; xiexiei (mo) / siimo (kona) (mw) (M)
[hemípteros]	jakaro (xs) / jakoro (xn)
[hidrometrídeos]	opo hēa (xs,xn,wt)
<i>Pediculus</i> spp.	k[r]amosi (xs,xn,xf,wt,wx)
<i>Pulex irritans</i>	ārokōhirimi (xs) / ārokōhiriwə (xn) ; rom-hena (N) ; mamohama (S) ; nomi (hiki) (mo) / romi (hiki) (mw) (M)
(wc) ; hīho (N) ; uxixima (mo) / kopata (mw) (M)	omawə (xs,xn,xf) / utukuri (wc) / seromo (usiki) (wt) / sirosiro (wx) ; rihimari (N) ; patakasilemi (S) ; pora (hīho (hesi)) (xs) / noma (Y,N,S,M)
<i>Tunga penetrans</i>	percevejo do mato
---	percevejo-d'água
---	āfokama (xs,xn,xf) / āfokama (xn) ; umima (S)
---	mote (he) (xs) / moto (he) (xs,xn) / motohewə (xn) / motu (he) (wt) ; mohere (N) ; moto (tiki) (S)
---	ſipupuma (xs) / kōpat^ha(ſi)ma (si) (xn) / kopat^ha (wc) / kopot^hae[ma] (wt) / komat^ha[jo]ma (wx,wf) / rasima (Y,N,S,M)
---	hiho (a/si) (xs) / hihu (una) (xn) / fifu (una) (xf) / hī(h)o (una/ona) (wt,wc) / hūri (una) (wx) / furi (una) (wf) / hōra (hesi) (wc) ; hīho, hīri-inā (nn) (N) ; koloto (mo) (S) ; hīo (ina) (mo,my) / hī[o] (una) (mw) (M)
[blatídeos]	barata
hōnore besouro-d'água (N) ; pateama (iſi) (S) ; kopeta (M)	hōra (hesi) (xs,xn) / fōra (hesi) (xf) / komot^hae[ma] (wt) / ririma (kosi) (wx) / opo ſi (wx) ; opo-ſi / kot^hapa / vaga-lume sp.
---	opo (mamo) (xs) / pore (mamokasi) (wt,wc,wx)
---	pruſima (mamo) (xs) + purima (āhu) (xn) / pirima (āhu) (wt,wx) ; pərəm-āhu (N) ; pulima (ai) (S) ; purima (āhu) (mo) / wadʒapa (āhu) (mw) (M)

---	vaga-lume spp.	ōpopōrema (āhu) (xs) + amakuri (xn)
[escarabídeos]	vira-bostas	āprū (xs,xn,xf) / āpurū (wt,wc,wx) ; hōra besouro (genérico) (N) ; sokokamī besouro (genérico) (S) ; āpū (mo) / āpuru (he) (mw) (M)
[escarabídeos]	coleóptero (xilófago, com chifre)	āsikīrema (xs) / āsikeāma (xn) / āsikiāma (xs) ; askerema (N) ; hona / sona (S)
[cerambícideos]	besouro serra-pau	simitori[wə] (xs,xn,xf,wt,wc) / simotori (wx) ; sinito (S) ; seni (M)
???	larva xilófaga	hōromorewə (xs)
[curculionídeos] <i>Rynchophorus palmarum</i>	broca-da-palmeira (larva comestível)	ōu (ū) / ou (u) (xs,xn,xf) / mapi (a) (wt) → māe: hōra (a) (x) / jiimama (wt) ; napi (S) ; nako (mo) / noko (afí) (mw) (M)
---	broca-da-bacaba	pāti (ū) (xs) / mati (ū) (xn) → māe: hōra (a) + potimari (xn) ; nat^hoa / sokoro māe (N) ; motimani (S)
[curculionídeos] <i>Cosmopolites sordidus</i>	broca-da-bananeira (larva branca)	nakoja (xn,xf) / makoja (xs,xn) / nakaja (wx) / nakae (wt,wc) ; nasoka (S) ; noko (a) (mw) (M)
[curculionídeos]	broca-do-tabaco	joropori (xs,wt,wc,wx)

OUTROS INVERTEBRADOS

[ixodídeos]	carrapato	tori (Y,N) ; toli (S) ; tori (mo,my,mw) + japa (axi) (mo) / si-tapa (asi) (mw) (M)
---	carrapato sp.	moremorema (xn)
---	carrapato pequeno sp.	sihə (ni) (xs) / sihe (ni) (xf) / sihi (na) (wt) ; sinihī (N) ; sinai (S) ; xōri (ni) (mo) / fūhu (ni) (mw) (M)
[trombidiídeos]	mucuum	pūrima (āhu[fi]) (xs,xn,xf) / pirima (ārifī) (wt) ; param ahīsi (N) ; puli (masi) (S) ; waku (ni) (M)
---	teia de aranha	haharamae[ma] (xs,xn) / faharama (xf) ; hamanai (S)
<i>Avicularia</i> spp.	caranguejeira	hāho (xs,xn) / fāho (xf) / h^wāha (wt) / hāha (wx) / fāha (w)
---	aranha venenosa sp.	hoafī (kohe[fi]ki) (xs,xn,xf) / jarima (koſikī) (wt) ; tsarim-hek (N) ; wasi (koi) (S) ; jarimī (hekī) (mw) (M)
---	aranha venenosa sp.	wariorema (xs) / wario-mī (xs,xn) / warejo-mī (xf) / warea (koſi) (wt,wc,wx) ; waretſe-hek (N) ; walo (tiki) (S)
;	aranha comestível sp.	wāikōſiemī (xs) / wārikosiomī (xn)
---	escorpião (genérico)	suhi (xs,xn) / suf(r)i (xf) / sufiri-na (xf) / sihi (wt,wc,wx) / sifi (wf) ; t^hohi (N) ; su(h)i (S) ; tūhu (mo,my) / tohi (mw) (M)
---	escorpião grande sp.	uhutima (xs) / poko-ajameri (xn) / ajamawə (xn) / poko-ajamari (wx)
[diplopódeos]	ambuá	waporomi (xs) / kumārawə (xn) / horema (xs) / ukutuma (usi) (wt) ; patasik / warap-kohik (N) ; motelema
(kiki) (S) ; kukurumī (usikī) (M)	lakraia	makararo[-wə] (koheki) (xs) / matakaro (koheki) (xs) / suri (nakī) (xn) / pəsirima (wt) / pesirima (wc,wx) ;
[quilópodes]	param-kohik (N) ; motolo (koi) (S) ; fara (takī) (M)	pedipalpo sp. (?) natətəmī (xs)
---	caranguejo sp.	oko (Y,N,S) ; kotoximi (ī) (mo,my) / kotomi (ī) (mw) (M)

???	caranguejo pequeno	hewaruhumi (xs) / hewafimí (xn) / kotoma (wx) / si-jikitima (wt)
???	caranguejo pequeno	oko-narimi (xf)
???	caranguejo pequeno	ōtōmi (xf)
???	caranguejo ?	materimi (xs) / resima (xs)
---	camarão sp.	fūhunarimi (hū) (xs) / fūu (hū) (xs,xn,wt,wc,wx) / fūu (fū) (xf) ; fōō-hī (ns) / fōo hī (N) ; siuhāi / sua (ai) (S) ;
ōrau (hū) (mo) / fūhu (mw) (M)		
---	caracóis spp.	warora (xs,xn,xf) [cf. wapixana warurai, pemon warora] / waarama (aka) (wt) ; sitotamī (S) ; warora (M)
<i>Doryssa</i> sp.	concha sp. [pequeno, cônico, comestível]	sunama (xs) / sunukama (akasi) (xn, xf) / sinakoma (wt,wc) / sitokoma (akasi) (wx) / sinikama (wf) ;
tsoi-aka (ns) / sinama-kas (N) ; senoma (ākasi) (S) ; jawara (mo) / fiwatorema (mw) (M)		
---	molusco (tipo ostra)	kūhara (si) (xs) / fitapa (xn) / sitipa (wx) / sitipari (si) (wt) ; sitipa-s (N)
[oligoquetas]	minhocas sp. (para pescar)	kohoro-mi (fiki) (x) / īkoro-ma (wt,wc,wx) / ukuro-mi (wf) / ikoro-mi (wf) ; īkoro-mafī (ns) / ikoroa-masi (N) ;
kolo (osi) (S) ; īokoma (ixiki) (mo) (M)		
---	minhocas spp.	heresima (xn) + horema (Y) ; hōrema-k (N) ; holema (S) ; hōrema (fiki) (M)
---	verme intestinal	sirepi [pə] (xs) / fit̄ora (xn) / sipru (xn) / foret̄ə (wc) / sitohari (wt) ; sitora (N) ; sikola (S) ; xērete (M)

BOTÂNICA

Árvore (genérico), pau: **hii** (**hi**) (xs,xn) / **fii** (**fi**) (xf) / **huu** ([**ti**]**hi**) (wt,wc,wx) / **fuu** (**tifi**) (wf) ; **wii** -[**ti**]**hi** (N) ; **hii** ([**t**]**i**) (S) ; **hii** ([**te**]**hi**) (**M**)

Árvore grande (genérico): **kajapa** (**hi**) (Y) ; **katsapa** (S)

Planta trepadeira (genérico): **too** (**toto**) (xs) / **t̄oo** (**t̄hot̄o**) (xn,xf) / **t̄oo** (**t̄o[t̄o]/t̄osī**) (wt,wc,wx) / **nakamo** (**t̄hot̄o**) (wf) ; **t̄oo-** **t̄hot̄o** (N) ; **t̄oo** (**t̄hot̄o**) (S) ; **too** (**to**) (mo,my) / **too** (**toto**) (mw) (**M**)

Madeira dura (âmago): **ama-ro-ko-ma** (xs,xn,xf) / **hima-ro** (xs) / (**huu hi**) **āmoto**[ko]-pə (wt) ; **ama-no** (S)

ACANTÁCEAS

<i>Blechum</i> sp.	certo paricá	pōsöhara (xs) / mosöhara (xs) / majöhara (xn) / masifaro (xf) / masifara (w:pa) / masafara (wf) / masahara (wt,wc,wx) ; pasaharo-ki (ns) / masahara (nn) (N) ; ixaro (mo) / tixaro (my) / waharo (mw) (M)
<i>Justicia</i> sp.	arapari-vermelho	āiāmo (hena) (xs,xn)
<i>Justicia</i> sp.	alucinógeno	hekura (xs,xn) / fecura (fena) (xf)
<i>Justicia</i> sp.	alucinógeno	pore (hena) (xs)
<i>Justicia</i> spp.: makiopi (hena) (xn) + romi (hena) (xn) + fāri [fāri] (hena) (xn,xf) + jawari / suə (hena) (xs) + joiroi (hena) (xs)		

AMARANTÁCEAS

<i>Celosia argentea</i>	cultivado	wao (hi) (xn,wc,wx)
-------------------------	-----------	----------------------------

ANACARDIÁCEAS

<i>Anacardium giganteum</i>	caju	wīto / wito (x,wx) / oru (jī) (wc,wx) / ori (jī) (wt) / oroſō (wf) ; oro-ſihi (N) ; olosi (S) ; putumi (mo) / pirimi (my) / pitimi (mw) (M)
<i>Astronium lecontei</i>	taperebá, cajá	ōpōpōrema (āhu) (xs,xn) / ōponi (xn,xf) / perima (wc,wx) / pirima (āhu) (wt,wc) / pērima (wf) ; kanaſ-āhu-k (ns) /
kanaſ-āhi-k (nn) / prama-t^hok (N) ; oponi (S) ; puruma (āhu) (mo) / pirima (āhu) (my,mx) / wadzapa (āhu) (mw) (M)		
<i>Tapirira guianensis</i>	árvore sp.	wātejoma (nahi) (xn)

ANONÁCEAS

<i>Anaxagorea brevipes</i> (mo,my) / rāi (tata) (mw) (M)	embira sp.	jāri (tana/nat^ha) (xs,xn) / na(r)i (nat^ha) (xf,wf) / rāi (nat^he) (wt,wc,wx) ; rāi-t^ha[t^ha] (N) ; t^hāi / tāi (t^hata i) (S) ; nāi (ta
<i>Anaxagorea</i> sp.	embira sp.	iwaiwa (nat^ha) (xn)
<i>Duguetia</i> sp.	embira sp.	hapromi (tana) (xs,xn) / hapoma (wx)
<i>Guatteria poeppigiana</i>	embira sp.	seisei (tana /nat^ha) (x,wc)
<i>Guatteria</i> sp.	embira sp.	setepa (nat^ha) (xn)
---	embira sp. (tururi?)	wāramafī (xs) / wāremafī (xn) / jaramafī (wt) / jaremaſī (wc,wx) / raemaſī (wf) ; mut^ha (N) ; kapixa (ta) (mo) /
jaremaxi (my) / jāre (mosi) (mw) (M)	embira sp.	motomotoma (t^hana) (xs)

APOCINÁCEAS

<i>Bonafousia terastachys</i>	fruta comestível	momooamī (xs) / moheoamī (xn)
<i>Couma macrocarpa</i>	sorva	kārimari (xs) / kānimari (xn) / kanimana (āſī) (xf) / kāra (aſī) (pa) / ōp(e)rema (aſifi) (wt,wc) / (k)opetema (aſifi) (wf) / oponama (wx) / omanama (wx,wf: Rokoo) ; kinama-aſiki (ns) / kemana-ajihi (N) ; kaimani (S) ; karema (axi) (M)
<i>Geissospermum argenteum</i>	árvore	joawə (sihi) (xs)
<i>Mesechites trifida</i>	cipó sp.	ihiru (jīmotaſī) (xs) / ihiru (jīmot^haki) (xn)
<i>Tabernaemontana heterophylla</i>	---	āſokama (xs) / āſakama (xn)

ARÁCEAS

<i>Anthurium clavigerum</i>	---	proromī (ki) (xs) / proroma (wx)
-----------------------------	-----	--

<i>Anthurium scandens</i>	---
<i>Caladium bicolor</i>	cultivado
<i>Heteropsis flexuosa</i>	cipó-titica
masimasi (S) ; maxi (ki) (mo) / masi (mw) (M)	
<i>Monrichardia arborea</i>	atinga
<i>Spathiphyllum cannaefolium</i>	planta aquática
<i>Xanthosoma sagittifolium</i>	taioba sp.
<i>Xanthosoma violaceum</i>	planta mágica
<i>Xanthosoma</i> sp.	taioba sp.
(mo) / ariwa (mo) (my,mw) (M)	
<i>Xanthosoma</i> sp.	taioba sp.
---	arácea sp.

ARALIÁCEAS

<i>Didymopanax morototoni</i>	---
-------------------------------	-----

ARECÁCEAS

<i>Astrocaryum</i> sp.	tucumā
paha (asi) (mw) (M)	
<i>Astrocaryum jauary</i>	jauari
???	tucumā pequeno
<i>Astrocaryum murumuru</i>	murumuru
<i>Astrocaryum gynancanthum</i>	mumbaca
<i>Astrocaryum</i> spp.	poſohawə (xs) / mosohawə (xs) / mosoha (xn) / hōſoha (xn) / mosufawe (xf) / ſōhomō (wt) ; ſoſo (mosi) (M)
<i>Attalea sagotti</i>	mumbaca
<i>Bactris chanadoreae</i>	curuá
<i>Desmoncus</i> sp.	marajá
<i>Geonoma baculifera</i>	jacitara
hena (nn) / aora-sisi (N) ; kumi-si (hena-ki) (S) ; pao (ina-ki) (mo) / paowə (ehaki) (my) / paowə / dʒaa (anaki) (mw) (M)	ubim
<i>Geonoma</i> sp.	ubim
<i>Geonoma</i> sp.	ubim
<i>Bactris gasipaes</i>	pupunha

uwəmī (xn)
ſoaa (ki) (xn) / ſō(w)a (wx)
masimasi[ma] / masi (xs,xn,xf) / masi (wt,wc,wx) ; ſēerem-θot^h (ns,nn) / ſifikima (N) ; makamī (θot^ho) / rahara (hena) (xs,xn)
ikoa (he) (xs) / ekoia (hena) (xn)
hajāora-mi (xs) / hajumara-mi (xs,xn) ; pasimī (na) (S)
jopoa (xs) / joporo (ki) (xn)
ōhina (xs,xn,wx) / ūfina (xf,wf) / ari(w)a (wt,wc) ; ura-mok (ns) / ira-mok (N) ; oina (na) / sialia (na) (S) ; aruwa makamī (xs) / mrakamī (xn,xf)
apapa (siki)

mahei (xn) / mafei (xf)

paha (mo) (xs,xn) / pafa (xf) / ərə/əri (wt,wc,wx) ; uru-ku (ns) / iri-ki (nn) (N) ; paa (mo) (S) ; hotoa (xi) (mo) / pahana (si) (xs,xn) / paha (asi) (wc,wx) / āiamo (mo) (wt) ; tahai (xi) (mo) / dʒota (asi) (mw) (M)
irəwərimi / jərəmī (xs) / θomuraa (mo) (wt) ; maha (wt) ; otari-mosi (N) ; paha (axi) (mo) / paha (āi) (mw) (M)
minari (xs) ; ſuu-mosi (N) ; jawatoa (si) (xs,xn,xf) / kūruana (wt) ; hoafi (mosi) (xn) / moka (wt) ; tsarim-uſuk (N) ; jarimi (xi) (mo) / moka (mosi) (mw) (M)
hutukurema / hutukutoremi (misi θokī) (xs) / hutukuri (mosi) (wt) ; humo (mo) (S) ; hutu (mixi toki) (M) ; komi-ji (xs,xn,xf) / komi (wf,pa) / paa (hana) (wt,wc) / jaa-si (wx) ; tʃaa-hena-k (ns) / tʃoi-pas-hena-k (ns) / tʃaat-
raſa (Y) ; raſa / rasa-si o pē (N) ; lasa (S) ; rixa (xi) (mo,my) / riſa (mw) / riſa si o pē (mw) (M)

<i>Iriartea ventricosa</i>	paxiúba-barriguda	kupu (xs) / krupu (wt) / kripí (pa) ; kiriipi-si (nn) / kurupu-si (nn) (N) ; konopa (mo) (S)
<i>Socratea exorrhiza</i>	paxiúba	manaka (Y) ; manaka-si (N) ; manaka (S) ; manaka (M) [empréstimo]
<i>Iriartella setifera</i>	jupati, tubo de jupati	joroama (hi) (xs) / joroa[ma] (masi) (xs,xn,xf) / horoma (wt) ; horomo-si (N) ; tsola (isi) (S) ; horomí (mo) /
õronamo (my : curare ?) / oromo (mw) (M)		
<i>Jessenia polycarpa</i>	babaçu	jei (xs,xn,xf,wf) / joi (wt,wc,wx) ; tsei (S) ; dzei (M)
<i>Leopoldinia piassaba</i>	piaçaba	raea (si) (xs,xn,xf)
<i>Manicaria saccifera</i>	buçu	tarama (si) (xs,xn) / thaithai (xf) / tōpərī (xs)
<i>Mauritia flexuosa</i>	buriti	etewe-ſi (x) / rīo (kosi) / ripa (wt,wc,wx) / jō(o) (wf) ; koi-k / kui-ki (N) ; kū(a)i / ītiwi-ſi (S) ; hīo (kōi-ki) (mo,my) / jōo (kōi) (mw) (M)
<i>Mauritia</i> sp.	caraná	kohe-re (xs,xn) / ikijari (xn) / torea (si) (wt) / kui (wx) ; pere-mosi (ns) / kue / koi (si) (N) ; kū(a)i / kōa [<i>Caura</i>]
(S) ; torerea (xi) (mo) / marokoa (mosi) (mw) [wapixana <i>buruk(a)</i>] (M)		
<i>Maximiliana regia</i>	inajá	kareſi (xs,xn,xf) / (h) okoraſi (wc,wx,wf) / okaraſi (wt) ; hokarifík / rihima / paisara (N) ; hokolasi (S) ; akaraxi (mo,my) / okaraſi (mw) (M) [cf. arawak]
<i>Euterpe</i> sp.	açaí sp.	wāima (xs,xn,wf) / maima (xf) / mai[ma] (wt,wc,wx) ; māima-sik (N) ; waima (S) ; mai (mo-xi) (mo) / adžakaa (mo) (my) / adžaka (ma) (mw) / tiria (ma) (M) [cf. wapi <i>wá’ba</i>]
<i>Euterpe</i> sp.	açaí sp.	hajakawa (xs,xn) / (h) ajakoa (xn) / ajaka (wt) ; ātsaka (ma) (S) ; jēekerima (moxi) (mo) (M)
<i>Oenocarpus bataua</i>	patauá	haprua (x) / hapuria (w) ; hapua-k (ns) / hapia-k (nn) (N) ; hapia (mo) (S)
---	patauá	kōanamarima (xs) / kōanare[ma] (wt,wc,wx) ; koanata (mo) (S) ; kōatare (maki) (mo) / koarare (my) / koanare (mw) / (M)
<i>Oenocarpus</i> sp.	bacaba	hoko/hōko (Y) / isinae (wc,wx) ; hōkoro-ma-si (N) ; hoko (S) ; oko (ma) (mo,my) / ōko (ma) (mw) + xinapəi (ma) (mo) / isinapi (ma) (mw) (M)
<i>Oenocarpus</i> sp.	bacabinha	kuisitirimí (mahi) (xs) / ūſupirima (wt) ; dʒoi (maki) (M)
Palmeiras espinhosas spp. : hopəhopə (misi) (xn), komorāō (xs) / komorā (xn)		
Palmeiras spp.: ajofari (si) (x), konopo (si) (xn), fitipa (si) (xn,wx)		

BIGNONIÁCEAS*Callichlamys latifolia**Crescentia cujete**Jacaranda copaia**Tabebuia guayacan**Tabebuia ochracea**Tynanthus polyanthus***BIXÁCEAS***Bixa orellana***BOMBACÁCEAS***Bombacopsis* sp.*Catostema* sp.*Ceiba pentandra***BORAGINÁCEAS***Cordia polycephala**Cordia* sp.**BROMELIÁCEAS***Aechmea tillandsioides**Ananas erectifolius* curauá **jama (afí) (Y)** / **jamaa (afí) (xn)** ; **jaama-si-k (ns)** / **jama-masi (N)** ; **tsama (asi) (S)** ; **jama (axi-kī) (mo,my)** / **jama (a-ki) (mw) (M)**

honokore (kosi) (xs)cuieira **maraka (Y)** ; **maraka-afíhi (N)** ; **kamana (i) (S)** ; **maraka (afí) (M)** [< *maraca* ‘chocalho feito com cuia’ (espanhol, português, yekuana, etc.)]

parapará

fitipori (hi) (xs,xn) / fitopari (wx) ; **fitpori hi (N)**

pau-d’arco

t[^h]omoro (xs,xn,xf) / **paira (hi) (wt,wc)** [< *bahuana*]

breu

mai (ko) (Y,S,M) ; **mani (N)**

cipó sp.

hajahaja[ma] (t[^h]ot[^h]o) (xs,xn)**BIXÁCEAS***Bixa orellana*

urucu

nara (fi) (Y) / **nana (fi) (xn)** ; **nara-fi-k (N)** ; **nana (si) (S)** ; **nara (xi) (mo,my)** / **nara (fi) (mw) (M)****BOMBACÁCEAS***Bombacopsis* sp.

árvore sp.

tokona (sihi) (xsn)*Catostema* sp.

árvore sp.

fāpre (ū) (xs,xn) / fāpu (ū) (xn)*Ceiba pentandra*

samaúma

wāri (mahi) (xs,xn,wt,wc,wx) / **wāri (mafí) (xf,wf)** ; **wari-mahi (ns)** / **wari-mafí (N)** ; **wani (ma i) (S)** ; **wāra (mahi) (M)****BORAGINÁCEAS***Cordia polycephala*

opo (hesi) (xn) / **opo (fesi) (xf)***Cordia* sp.

freijó

hāhohāho (xs) / **hāho (xn)** / **fāho (xf)****BROMELIÁCEAS***Aechmea tillandsioides* parasita**rēorima (si) (xs)***Ananas erectifolius* curauá **jama (afí) (Y)** / **jamaa (afí) (xn)** ; **jaama-si-k (ns)** / **jama-masi (N)** ; **tsama (asi) (S)** ; **jama (axi-kī) (mo,my)** / **jama (a-ki) (mw) (M)**

abacaxi

jaama-si-āko (ns) / **pāinori (nn)** [< *awake painori*, *purukotó menure*] (**N**) ; **tsama (S)** ; **jama (amo) (M)**

BURSERÁCEAS

<i>Dacryodes</i> sp.	---	kaweteroma (masito hi) (xs)
<i>Dacryodes</i> sp.	iuapixuna	mora (mahi) (Y) ; mora-ma (N) ; mona (ma) (S) ; mora (mahi) (M)
Iuapixuna (variedades):	kōōpari (mahi) (xn) / totahima (xn) / watupara (mahi) (xs,xn)	
<i>Hemicrepidospermum rhoifolium</i>	breu	mai (ko[ko]) + warapa (ko[ko]) (Y) ; mani (N) ; mai (kosi) + wanapo (kosi) (S) ; mai (ko) (mo,my,mw) +
matarao (ko) (mo) / patarawa (ko) (mw) (M)		
<i>Protium</i> sp.	breu	hōōjo (nou hi) (xn)
---	árvore sp.	kurapo (huhi) (xs,wx)

CARICÁCEAS

<i>Carica papaya</i>	mamão	ſamakoro (xs) / ſākunaje (xn) / rokoroko (wx,wf) / roko(-ari) (wt,wc) ; matſaw[ik] (N) ; sakonai / t^hakonai /
kamoneko (S) ; tikoari (mo) / kanapa (a) (mw) (M)		

CARIOCARÁCEAS

<i>Caryocar</i> sp.	piquiá rua (mohi) (xs,xn) / rua[pu] / rua[pa] (wt,wc,wx,wf) ; kura-po-k (N) ; lua (mosi) (S) ; tuapu (hi) (my) / ruapu (hi) (mw) (M)
<i>Caryocar pallidum</i>	ſoſo (mohi) (xs,xn,wx) ; ſiso (mosi) (S) ; japiá (moxi) (mo) / ſoſo (mosihi) (mw) (M)
<i>Caryocar villosum</i>	píquiá sp. kumato (xs,xn,wf)

CELASTRÁCEAS

<i>Gouania glabra</i>	cupiúba	jāpi (mamo hī) (xs,xn)
-----------------------	---------	-------------------------------

CESALPINIÁCEAS

<i>Bauhinia guianensis</i>	escada-de-jabuti (cipó) resima (xs) / rasirrasima (xn) / rasima (wt) / tuakara (wt)
<i>Bauhinia macrostachya</i>	cipó-mororo āro (toto, kot^ho) (xs,xn,xf)
<i>Cassia multijuga</i>	---
<i>Dialium guianensis</i>	paokaihiti (nato hi) (xn)
<i>Dioclea guianensis</i>	árvore ſipara (kohi) (xs,xn) / paro (kofi) (wx)
<i>Elizabetha princeps</i>	---
<i>Hymenaea courbaril</i> (mw) (M)	kōthārawə (xn) / kūhawə (xf)
	ama (āhi) (xs,xn,wt, wc,wx) ; āma hi (N)
	āro (kofi) (Y) ; param-kof / paro-kohi (N) ; ano (kosi) (S) ; pare (koxi) (mo) / āro (koxi) (my) / āro (kofi)

Macrolobium acaciaefolium arapari

Swartzia arborescens ---

Swartzia caudata ---

Swartzia grandifolia ---

Swartzia sp. ---

Tachigalia sp. taxi

Touroulia guianensis árvore sp.

korokoro (sihi) (xs)

motuā (āhi) (xs,xn)

iwa-krete-pi (hi) (xn)

kamakari (sihi) (xn)

hīhami (mohi) (xn)

rama (nahi) (xn)

jojomosi (xn) / **jojoposi** (xf)

CIPERÁCEAS

--- puçangas

h'āri (xs,xn,xf,wc,wx) / **hini** (wc,wx) (Y) ; **hini** (mamo kiki) (S) ; **hēre** (aki) (mo,my) / **hēru** (ki) (mw) (M)

Encantos: **ara** (mamoki), **hasimo** (mamoki), **ihiru** (ki) (= jawə), **kiripema** (ki), **kirithami** (mamoki), **marasi** (fiki), **majepi** (fiki), **nomaremi** (xn) / **nomamarewə** (ki) (xs), **ohote** (ki), **oko** (fiki), **opo** (mamoki), **paruri** (mamoki), **suə** (mamoki) / **tʰuə** (hana) (wc,wx), **sama** (mamoki), **sapo** (ki), **waitheri** (ki), **waka** (mosiki), **werehi** (mamoki), **jawə** (ki) ; **kumi** (a) (S)

--- puçangas

aroari (xs,xf) / **arawari** (wt,wc,wx), **haro** (xs), **manaka** (xs,xn) ; **arowari-ki** (N) ; **alawali** (kiki) (S) ; **aroari** (M)

Scleria spp. tiririca

wēhērama (xs) / **wēhērērama** (xn) / **wēriwērima** (wx) / **hahērama** (wt) ; **rere-mak** (N) ; **weimati** (S) ;

xiakikima (ki) (mo) / **uwe (ki)** (mw) (M)

CLUSIÁCEAS

Clusia sp. apuí

kēe (xs) / **kreema (natoſi)** (xn)

Clusia sp. apuí sp.

fiki (t[^h]ot[^h]o) (xs) / **rīſi (t^hotho)** (wt) ; **fīſikima** (N)

Mahuera estipulata

juri (ſihi) (xn) / **pæipæi (ſifi)** (xf)

Rheedia sp.

bacuri (arbusto sp.) **pajo (āhu)** (xs,xn,xf) / **jaruse (wāte mohi)** (xs)

COMPOSTAS

Wulffia baccata

cipó sp. **totori (mamiki)** (xn)

CONARÁCEAS

???

hāthoama (xn)

CONVOLVULÁCEAS

<i>Ipomea batatas</i>	batata-doce	hukomo (x) / hikoma (wc) / hōkoma (wt,wc,wx) / fukoma (wf) ; hikomi (ns) / hokomo-k (nn) (N) ; hukumi (S) ;
hokomí ([ho]xi) (mo) / hokomo (jí) (mw) (M)		
<i>Ipomea squamosa</i>	trepadeira sp.	wākowākomí (xs) / wākowākoma (xn)

CRISOBALANÁCEAS

<i>Licania</i> sp.	árvore sp.	maka (nahi) (xs) / mraka (nahi) (xn)
--------------------	------------	---

CUCURBITÁCEAS

<i>Lagenaria</i> sp.	cabaça (trepadeira)	hisi[ma] (xs,xn) ; hesi (N) ; hisima (S)
<i>Lagenaria</i> sp.	cabaça	horokot̄o (Y) + horoto (xs) ; horot̄(h)o (N) ; holokoto (S) ; oroko (mo) / orokoto (my,mw) (M)
<i>Lagenaria</i> sp.	cabaça	ko(h)a (xs,xn) / kai (xs,xf,wf) / kēa (xs) / mau (fesi) (w) [< 'água'] / mau (husi) (wt) / jārijāri (wt) ; hesi (N) ; kau (kīsa/usī) (S) ; here (axi) (M)
<i>Lagenaria</i> sp.	cabaça (trepadeira)	waika (āfi) (xn)
<i>Lagenaria</i> spp.	cabaças spp.	jokatama (āji) (xn), jāruana (xn) ; tsapo, mokota / nokota (S)

DIOSCOREÁCEAS

<i>Dioscorea trifida</i>	cará-roxo	āhi (xs) / āhə (xs,xn) / usipirimí (xn) / wāha (xn,xf,wt,w) ; mokoi (ns) / wāha-hi (ns) / wāa-he (ns) / wana [< karib] (N) ;
lai (S) ; maa (heki) (mo) / maa (heto) (mw) (M)		
<i>Dioscorea</i> sp.	cará sp.	kapiro(mí) (x) / kapiro-ma (wt) / kaporō-mi (wf) ; kapulumi (isī) (S)
<i>Dioscorea</i> sp.	---	rai (t ^h ot ^p]o) (xs,xn,xf,wt,wx) ; lai (t ^h ot ^b) (S) ; nako (he) (M)
---	cará silvestre	mamo-hi[j]omí (xn)

ESTERCULIÁCEAS

<i>Herrania lemniscata</i>	arbusto sp.	kajuweſi[ri]mí (xs,xn) / maroweſi (xf)
<i>Sterculia</i> sp.	tururi	jārokofima (t^hanahi) (xs)
<i>Theobroma bicolor</i>	baraturi	hemare (xs,xn) / himare (xf) / jerekermí (xf) / himara (wt,wx) ; hemaro-kome-he (N) ; masauna (S) ; jārime
(hejōxiki) + koapere (mo) + amore (amo) (mw) (M)		
<i>Theobroma cacao</i>	cacau	pohoro[a] (xs,xn) / poforoa (xf) / poroa (wt,w) ; roro-nahi / rorihi (nn) (N) ; polo (ma) (S) ; poro (na) (M)
---	cupuaçu	pakarua (ahi) (mo) / makote (ahi) (mw) (M)
???	árvore sp. (fruta comestível)	roa (hi) (xs,xn,wt,wc) ; loa (S)
???	≈ cacau	hōa (āhe) (xs) / hoa (heto jí) (xn)
???	---	hoafí (misi, moka) (xs,xn)

EUFORBIÁCEAS

<i>Acalypha macrostachya</i>	árvore sp.	pusipusi (hi) (xs,xn)
<i>Croton matourensis</i>	embira sp.	ara (usi) (xs,wc) / araturi (usí) (xn,xf)
<i>Mabea</i> sp.	seringái (árvore sp.)	usipí (hi) (xn)
<i>Cunuria crassipes</i>	cunuri	momo (Y) ; momo-k (N) ; momo (S) ; momo (hi) (M)
<i>Pera glabrata, Cordia polycephala</i>	---	maroha (nahi) (xs,xn)
<i>Hicronyma oblonga</i>	árvore sp.	mamokojoma (hi) (xn)
<i>Phillantus piscatorum</i>	conambi (timbó cultivado)	jaraka / juri (hena) (xs,xn) / koa (wt,wc) / oko (hana) (wt) / juri (wx) ; tsalaka-una-i (S) ; kopa (ahi) (M)
<i>Mandioca</i> (<i>Manihot utilissima</i>):	nafí (si) (Y) / hutu (si) (wt,wc,wx)	<i>maniva / futu</i> (wf) <i>id.</i> / nafí (ko[ko]) (Y) ; nafí-kok <i>tubérculo</i> + hutu-si (ns) / hiti-si <i>pé</i> + hakra-kok
<i>macaxeira (N)</i> ; <i>nasi (koko)</i> + <i>nasi (isí)</i>	<i>maniva</i> + <i>waləmo</i>	<i>macaxeira (S)</i> ; naxi (koki) (mo,my) / naſo (ko) (mw) <i>tubérculo</i> + naxi (xi) (mo) / nasi (si) (mw) <i>pé</i> + orere (maxi) (mo) / piawa (ko) (mw) <i>macaxeira (M)</i>
Variedades:	akwakírima / hāraharima / wamtimkok [<i>< wamotima</i>] (N)	
Farinha/massa:	(pei) hī(-ki) (Y) / (pei) fī-ki (xf)	; nafí-hi-hūſu-muk <i>farinha</i> + nafí-hi <i>beiju</i> (N) ; īsa (āi) <i>beiju</i> (S) ; koamiri (koki) (mo) / ōi (mw) [<i>< nheengatu</i>] <i>farinha</i> + naxi (ī) (mo,my) / nafí (ī ki) (mw) <i>beiju</i> (M)
Tapioca:	nafí hīki amo (xs,xn,xf,wt) ; simo [<i>< ? Pemon imu</i>] (N) ; naxi i (M)	

FLACURTIÁCEAS

<i>Lindackeria maynensis</i>	árvore sp.	maſipíma (nahi) (xs)
------------------------------	------------	-----------------------------

GESNERIÁCEAS

<i>Drymonia serrulata</i>	cipó sp.	fākaſākarima (xs) / fākuramí (xn)
<i>Besleria laxiflora</i>	certo tipo de raiz (substituto do tabaco)	tēſo (nahe) (xs,xn)

GRAMÍNEAS

Capins & ervas spp.: tomokoſi (xs) / t^homokoſi[mi] (wt,wc,wx) / hipruſi (xs) / heporafí (xn) / feporafí (xf) / t^hokofí-mi (wf) / t^horokoſi-ma (wf) ; kapriſa-k (ns) / t^homkoſi-k (ns,nn) / kapra(w)si-k (nn) (N) ; sīſī (S) ; kaparaxi (mo,my) / kaparaſi (mw) (M) [cf. ‘musgo’]		
---	savana, caatinga	pəriſi (xs) / piriſi (xs,xn) / porusi (wt,wc,wx) ; piliſi (S) ; aapoa (M)
---	capim spp.	moimoi[ma] (xs,xn)
---	capim sp.	porema (hi) (xs) / purima (hi) (xn,xf) / pirima (wt,wc,wx) ; pulima (āi) (S)
<i>Gimbopogon sativum</i>	capim-santo	kōe (hena) (xs,xn)

???

moromoro (?)

Flecha: **jereka** (xs,xn) / **ſərəka** (xf) / **ſaraka** (wt,wc,wx,wf) ; **ſakawef-si** (ns) / **ſakawə-si** (N) ; **ſilaka** (S) ; **xiſawə** (mo) / **xiſawa** (my) / **ſiroka** (mw) (M)

Gynerium sagittatum

cana-brava

hauja (si) (xs,xn) / **fauja (si)** (xf) / **hʷaja (ſiki)** (wt,wc: L,wf) ; **ſori-si** (N) ; **hao (si)** (S)

Gynerium sp.

cana-brava sp.

ſetiti-ma (si) (xs)

Ichnanthus panicoides

flechinha de criança

ruhu (xs,xn,wt,wc) / **rihu** (xn) / **rihu (masi)** (xf) ; **rihi-masi** (N)

Olyra latifolia

certa cana

wiriwirima (xn,wx)

horema (usiki) (xn)

Zea mays

milho

jono (x,wc) / **jano** (wt,wx) / **jōro** (wf) ; **ruru-mok** (ns) / **rīri-mok** (nn) +**jone** (N) ; **tsini** (mo) (S) ; **jōrō** (moki) (mo) /

jiri (moki) (my) / **jōjō (moki)** (mw) (M) [cf. guinau júnū]

Saccharum officinarum

cana-de-açúcar

puu ([u]si) (Y) ; **tſarokoi** (ns) / **tſowariko-ik** / **jakoi** (N) (< pemon, wayumará) ; **pu (iſi)** [pu isi pu ‘mel de cana’] (S) ; **puri**

(uxu) (mo) / **puru (usi)** (mw) (M)

???

bamboo sp.

rahaka / rafaka (Y) ; **rahoka** (N) ; **la(a)ka** (S) ; **rahaka** (M) ; **haraka** (mo,my) / **rahaka** (mw) (M)

???

bamboo sp.

sikoropirimí (xn) / **wākomí** (xf) / **sikoropırı-ma** (wt,wc)

???

bamboo sp.

katana (si) (xs,wt,wx) ; **katalo (si)** (S)

???

bamboo sp.

okama (si) (xn)

???

bamboo sp.

sunama (akasi) (xn)

???

bamboo sp.

ſaisai (si) (xn)

???

bamboo sp.

takakarimí (xs,xn)

???

bamboo sp.

tora (xs) / **tʰora** (xn,xf,wf) ; **tʰola** (S) ; **wana** (mo,mw) / **mana** (my) (M)

???

bamboo sp.

mokohiro (xs,xn) / **horoma** (wt)

???

bamboo sp.

uhe (xs,xn,wc,wn) ; **tʰore-ma** (N)

???

bamboo sp.

wana (xs,xf,wt,wc,wx) / **wārahana** (?) ; **wana** (N) ; **wana** (S) [cf. guinau, etc.]

???

bamboo sp.

LAURÁCEAS

???

árvore sp.

puku (mahi) (xn) / **pruku (mafí)** (xf) / **ſirihari (mahi)** (xn)

Ocotea neesiana

ouro sp.

pokora (mositʰokí) (xn)

Persea americana

abacate

āhai (xs,xn) / **āfai** (xf,w:pa) / **āhuari** (wt) / **āhoai** (wc,wx) / **āhoi** (?) (wx) ; **āhoai-kə** (nn) (N) ; **āui** / **āwi** (S)

LECITIDÁCEAS

Bertholletia excelsa

castanha-do-pará

hawari (Y) ; **howari-mok** (ns) / **howari-k** (N) ; **hawali (kosi)** (S) ; **owari** (mo,my) / **awari** (mw) (M)

<i>Couratari multiflora</i>	tauari
<i>Eschweilera subglandulosa</i>	matá-matá
<i>Gustavia</i> sp.	---
<i>Gustavia</i> sp.	jeniparana

korori (xs,xn)
hokotomari[ma] (xs,xn) / hokoto (wx) ; hokoto (i) (S)
hōtonawə (kosi hi) (xn)
ſiokore (kohi) (xs,xn)

LOGANIÁCEAS

<i>Strychnos guianensis</i>	curare
oronomo (mo) / marukuri (namo/toto) (mw) (M)	

mamokori[ma] (xs,xf) / maokori (wt,wc) / maakori (wc,wx,wf) ; horonamo (N) ; maokuli (namo) (S) ;
--

MALPIGIÁCEAS

<i>Byrsonima</i> sp.	murici
<i>Malpighia</i> sp.	árvore sp.
<i>Tetrapteris</i> sp.	árvore sp.
<i>Minquartia guianensis</i>	acariquara

ata[pa] (nahi) (xn) / āta-mari (wx)
joto (nato) (xs) / jot^ho (nat^ho) (xn)
hōrahōra (masi hi) (xn)
masiri (kohi) (xs,xn) / masianari (kohi) (wt)

MALVÁCEAS

<i>Gossypium barbadense</i>	algodão
/ <small>finaromari espírito algodão</small> (N) ; sinani / sinani ūko fio (S) ; apoxī (i) (mo,my) / finari (i) (mw) (M)	ſinarī (xs,xn) / ſinarū (xf,wt,w) ; maſu-uſu <small>algodão</small> (ns) / maſ-t^hū <small>fio de alododão</small> (ns) / maſin-ihī <small>pé</small> (ns) / moſok / maſiti īk

MARANTÁCEAS

<i>Calathea altissima</i>	pariri
<i>Calathea lutea</i>	uariá
<i>Calathea allouia</i>	---
<i>Calathea</i> sp.	--- (raiz comestível)
<i>Maranta arundinacea</i>	planta mágica
<i>Ischnosiphon aruma</i>	arumã
masik (N) ; moko(lo)li (isi) (S) ; mokori (xiki) (mo) / pokoro (si) (mw) (M)	popoa (xn) / afapama (xf)
<i>Ischnosiphon</i> sp.	planta mágica
???	planta mágica

piſa (xs) / piſa (hena) (xn,wt,wc,wx) ; puuſe-hena (N) ; piſa (na-kī) (S) ; haximo (henaki) (mo) / piſa (ana) (mw) (M)
ikiſari (henaki) (xn)
kumama (si) (xn,wx)
hōreprema (xn) / kōma maſi (xs,xn)
(h)umoromi (si) (xs) / mokoro[ma] (henaki) (xs,xn,xf) / mokuru-ma (si hana) (wt) / ſaramasa (wc) ; hokto-
komamaſima (xs)

MELASTOMATÁCEAS

Bellucia sp.

Miconia acinodendron

Miconia sp.

Mouriri grandiflora

Mouriri myrtifolia

Mouriri sagotiana

goiaba-de-anta

árvore

sementes vermelhas & pretas (para fazer colares) **kaſuhuri** (xn)

arbusto sp.

arbusto sp.

makasi hi (xn)

ſāriſāri (hi) (xn)

morokoto (hi) (xn)

kātari (āhi) (xs) / **ātari (āhi)** (xn,wc)

marueti (hi) (xn)

MELIÁCEAS

Guarea guiaomia

Guarea puberula

Trichilia sp.

Árvore não identificada: **jararua** (xn)

árvore

árvore

bico-de-brasa (arbusto) **jāpi (maheko[si] hi)** (xs,xn)

mokomoko (hi) (xn)

oroma (hi) (xs)

MENISPERMÁCEAS

Anomospermum sp.

cipó sp.

patema (xn)

MIMOSÁCEAS

Anadenanthera peregrina

paricá **sisiomī** (xs) / **hisiomī** (xn,xf) / **pararo** (x) / **parara (ki)** (wt) / **ēpena** (xs,xn,xf,wf,wx) / **parara** (wf) ; **palalo (S)** ; **wara-k** (ns) genérico / **kurem-ī-ki** (ns) / **kīrep-ī-k** (N) ; **kepu** / **tepu (usī)** (S) ; **niri (ī)** (mo.my) / **jēri (ī)** (mw) (M)

Inga nobilis

Inga scabriuscula

Inga thibaudiana

Parkia pendula

ingá sp.

ingá sp.

ingá-barata

ingá sp. (?)

ingá sp.

visgueiro

wākama (hi) (xs,xn,wt,wx) ; **poo-kosi-k** (N) ; **wākama (S)** ; **pakama (ki)** (M)

kafa (nahi) (xs,xn) ; **kasa (nai)** (S)

ſipiti (xs) / **ſititi** (xn) / **pojoitawə** (xn)

āpurī (xs,xn) / **āpuru (ū)** (xf,wt) ; **āpuri (moiki)** (M)

kājə (hi) (xs,wx) / **kāi (hi)** (wt) ; **kana (hi)** (M)

irosisi (xs,wt)

mosima (xs) / **moſima (sihi)** (xn,wt,wx) ; **poſma-k** (ns) / **moſma-ſi-k** (N) ; **moxima (ki)** (mo) / **puſuma (hi)** (mw) (M)

pahi (xn,wt,wx) / **pafi** (xf) ; **pahi-k** (N) ; **pai (S)** ; **pahi (ki)** (M)

toſa (xs,xn,wt,wx) ; **tſaf-tu-k** (N) ; **tosa (iſi)** (S) ; **mai (kok)** (M)

poowəmī (xs) / **poo[ko[ko]]** (xs,xn,wt,wc,wx) / **jīriuku** (wx)

hemōſi (t[ʰ]ot[ʰ]o) (xs,xn) / **moſiriwə (katʰo)** (xn)

Parkia pendula

Tuga sp.

visgueiro

árvore

certo árvore

wata (namohi) (xs,xn)

rerekotorawə (akasi) (xn)

ura-ura-ma (xs)

MIRISTICÁCEAS

Dialyanthera parvifolia

Iryanthera ulei

Virola sebifera

Virola spp.

árvore sp.

ucuubarana

ucuúba sp.

ucuúba (paricá)

kooto ([ko[hi]) (xs,xn)

fāifāijom̄i (natʰa hi)

majepi-akawef̄i (xs,xn) / **famaſamari[ma]** (xs,xn,wx)

jakoana (Y) / **ajukuma** (xn) ; **tsakiana** (ns) / **tfakiana** (N) ; **tsakona** (S) ; **ixaro** (mo) / **tixaro** (my) (M)

MIRSINÁCEAS

???

mamohe hi (xn)

MIRTÁCEAS

Psidium sp.

árvore sp.

pore (hi) (xn,wx)

MORÁCEAS & CECROPIÁCEAS

Clarisia ilicifolia
(una) (mw) (M)

Ficus trigona

Helicostylis tomentosa

Pseudolmedia sp.

Pseudolmedia sp.

Pseudolmedia sp.

Sorocea guyanensis

Cecropia jaritensis

Cecropia metensis

Cecropia orinocensis

Cecropia sciadophylla

Pourouma tomentosa

guariúba (fruta vermelha) **huriā (ana)** (xs,xn) / **hōri (una)** (wx) / **hīo (ona)** (wt) ; **huru-una-k** (N) ; **huni (una)** (S) ; **ijo (i naki)** (mo) / **hī**

apuí

jētəorewə (xn)

inháré-paina

potohi[a] (xs,xn,wx) / **potofi** (wf) ; **potoi (mosi)** (S)

inháré, pama

āʃāwā (ā) (xs,xn) / **asoa** (wt,wx) ; **ara-si-k** (N) ; **āʃawa (ā)** (M)

haju (xs,xn,wc,wx) / **hai** (wt,wx) ; **hatſu-k** (N) ; **adžu (ki)** (M)

rəʃə (xn)

arbusto sp.

jípi (hi) (xs,xn)

embaúba sp.

ʃōrosōro (āhi) (xn)

embaúba sp.

fiki (xs,xn,wt,wx) / **fikri** (xf) / **ʃinakotore[ma]** (xs) ; **fikiri** (N) ; **siki** (S) ; **xiki** (mo) / **ara (usi)** (mw) (M)

embaúba sp.

tokori (Y) ; **tokori-hi** (N) ; **tokoli** (S) ; **tikori** (mo) / **tokori** (mw) + **hokom̄i** (M)

embaúba sp. (fruta doce)

kahu (usi) (xs,xn,wt,wc,wx,wf) ; **kau (us̄i mo)** (S) ; **kāhu (ki)** (mo) / **kāhu (hi)** (mw) (M)

cucura sp.

wahi (tʰotʰo) (xn)

Pourouma sp. cucura sp. jaokorema (ã) (xs) / wapanawə (xs) / wārākō (ã) (xn) / irimi (ã) (xn) / ōema (aki) (wt) ; hūkurum-ufi-k (N) ; wāroka (hi) (mw) (M)

MUSÁCEAS & HELICONIÁCEAS

Heliconia sp. bico-de-guará (caule comestível) sirakomi (xs,xn) / finakomi (xs,xn) / sarurumi (äsi) (xf) / jatirawə (henaki) (xf) / jatitawə (henaki) (xf) / ūrokoma (hana) (wt) ; āro-mo-k (ns) / manipasik banana sp. ? (N) ; silakamo (S) ; oari (naki) (mo) / ūrokoma (ana) (mw) / mosa (ana) (mw) (M)

Heliconia sp. --- humoromí (hena) (xn)
Heliconia hirsuta --- sekisekima (henaki) (xn)

Phenakospermum guyanense sororoca ketipa (xs,xn) / mokohe (xs) [semente] / ruru (wt,wc,wx) ; haaru-sik (N) ; kitipa (S) ; haaru (moxiki) (mo) / naa (ina) (my) / ruru (mo) (mw) (M)

Banana-da-terra: kurata (xs) / kurat̄a (xn) / famima (xs) / koraha (wt,wc,wx) / korat̄a (wf) ; karat̄a-sik (N) ; ūkoma (S) ; koata (mo) / kuruta (my) / kurata (mw) (M)

Banana-maçã: ahaj̄e-ri-mi (xs) / jahatoto-ri-mi (xn) / ahaj̄erima (wt) ; maritok (ns) / karat-tikok (N) ; atsekeme (S) ; jarimi (nama ki) (M)

Banana-inajá: hatu[hatu]-ri-mi (xn) / tapitapi-ri-mi (xs) / äsike-ri-mi (xn) ; mus-ūhutima-k (N) ; mitatelemi (S) ; koroa (ki) (M)

Banana sp.: monari-mi (xs,xn) / hoho-ri-mi (xf) / monapiri-ma (wt,wc) / motapəri-ma (wx); karatak-tsai (N)

Banana sp.: [nak̄i]-isina-pe-mi (xs) / isipirima (wt)

Banana-comprida: pakata-ri-mi (xs) / paroja-mi (xs) / parea (xn,xf) / parea-ma (wt,wc,wx) / tərəkə-ri-mi (xn) ; paatsawək (N) ; telekele-mi / palea-mi (S) ; koata ki jai (M)

Banana sp.: pauſi-mi (xs,xn) / kona (xn) / paſi-ma (wt,wc,wx) ; paſi-mak (N) ; palisilimí (S) ; pauxana (M)

Banana-roxa: roko[m̄i] (xs,wt,wc,wx) / ūſipiri-mi (xn) / ūſipini-ma (wc,wx); kat-irok (N) ; wananimá (S) ; hūka-hororima (ki) (M)

Banana sp.: raparapa-ri-mi (xs) / rapa-ri-mi (xn) ; lapai (S)

Banana-roxa: forona (xs) [< banana-chorona] / ſiwarima / ſiahima (wt,xs) ; ſiahema-k (N) ; xiahima (aki) (M)

NECTAGINÁCEAS

Neea sp. ucuquirana karemo-na (hi) (xs)

OXALIDÁCEAS

Biophyllum calophyllum árvore sp. jawari (fihí) (xn)

PAPILIONÁCEAS

<i>Canavalia</i> sp.	cipó sp.	pore mamisi (xn) / pore mamo (xf)
<i>Clathrotropis macrocarpa</i>	cabari	wapu / wapo (Y) ; wapu-k (ns) / wapi-k (nn) (N) ; wapu (S) ; wapi (hūkī) (mo) / wapū (hū) (mw) (M)
<i>Machaerium ferox</i>	cipó sp.	rehareha (natosiki) (xn)
<i>Myroxylon balsamum</i>	---	mara (si[na] hi) (xn)
<i>Ormosia lignivalvis</i>	tento sp.	kajoromi (mo hi) (xs,xn)
<i>Ormosia</i> sp.	---	rоророми (xs) / rōrokō (xn)
???	cipó sp.	rikikimi (thot ^h o) (xs,xn)
???	timbó silvestre (cipó)	kūthā (at ^h e) (wt) ; kanaa-thok (N) ; silosilo (thot ^h o) (S) ; kopa (ato) (mo) / kuta (āto) (mw) [cf. <i>kunani</i>] (M)

PASSIFLORÁCEAS

<i>Passiflora</i> sp.	maracujá
-----------------------	----------

mapuu (thot^ho) (xn) / **kona** (wt)

PIPERÁCEAS

<i>Piper dilatatum</i>	---
<i>Piper hispidum</i>	árvore sp.

mahekotoma (xn,wx) / **mafekotoma** (xf)
jīmikaki ūhe mahi (xn)

RAMNÁCEAS

<i>Gouania polygama</i>	cipó sp.
<i>Zizyphus cinnamomum</i>	árvore sp. (fruta comestível)

wajowajo (nat^ho) (xn)
arowa(j)e (āsi) (x)

RUBIÁCEAS

<i>Isertia hyloleuca</i>	árvore sp.
<i>Genipa spruceana</i>	jenipapo
tanana (mo) (S) ; hōhō (maxi) (M)	

konoka (hi) (xn)
tani (xs) / **tana** (xs,xn) / **hoo** (mafī) (wt) / **nana** (wt) / **hoo** (moſī) (wx) ; **thom-hefik** (ns) / **hōmhefik** (N) ; **sasanai** /

<i>Posoqueria longiflora</i>	arbusto sp.
<i>Psychotria bahiensis</i> , <i>Faramea capillipes</i> ?	árvore sp.

raharaha (xn)
amī (u nahi) (xn)

<i>Tocoyena brevifolia</i>	árvore sp.
<i>Uncaria tomentosa</i>	planta espinhosa

warə (na) (xs,xn)
kamoarima (namoku / namoki) (xn)

Árvores não identificadas: **atawa** (ſihi) (xn), **kōtēkō** (āſī hī) (xs,xn), **moa** (hi) (xn) / **poa** (namo fi) (xf), **firipi** (hi) (xs,xn)

SAPINDÁCEAS

<i>Orocystis tulicoides</i>	árvore sp.	rapa (hi) (xn)
<i>Talisia reticulata</i>	árvore sp.	korijoma (xn)

SAPOTÁCEAS

<i>Manilkara bidentata</i>	balata	naī (āsi hi) (xs,xn,xf,wt,wc,wx) ; naī (S) ; naenae (āhi) / nainai (āhi) (M)
<i>Manilkara huberi</i>	maçaranduba	kokoa (hi) (xs,xn,xf) / parata (hi) (xn) [<] / saraka (ahi) (wt) ; korere-kohi (N) ; xuruka (āhi) (mo) / furuuke (āhi) (mw) (M)
<i>Pouteria</i> sp.	abiorana	api'a (Y,N,S) ; apia (hi) (mo) / apidža (hi) (my,mw) (M)
<i>Pouteria</i> sp.	abiorana sp.	makararo (kohi) (xn,xf)
<i>Pouteria</i> sp.	abiorana sp.	momi (hi) (xs,wt) ; marisi-k (N) ; mumi (S) ; momí (hi) (M)
???	árvore sp. (fruta comestível)	sawarakurimi (hi) (xs,xn) ; tſawarak (N) ; sawala (S)

SIMARUBÁCEAS

<i>Picramnia macrostachya</i>	---	kāſipinajoma (nou) (xn)
-------------------------------	-----	--------------------------------

SOLANÁCEAS

<i>Capsicum frutescens</i>	pimenta	p[r]āki (ā) (x) / prīka (ā) (wt,wc,wx) ; harami-ki (ns) / hami (ke) (nn) (N) ; paki (S) ; p(r)āki (M) [Cf. <i>framisorte</i> (<i>tabaco, droga em</i> (xs,xf,wx))]
<i>Capsicum</i> sp.	pimenta	jaimoro (xs,xn)
<i>Cestrum</i> sp.	planta espinhosa	hopəhopə (heto si) (xn)
<i>Nicotiana tabacum</i>	tabaco	pēe (nahe) (x,wt) / pēe (nehe) (w) ; pii-nahi (N) ; pii (n[al]i) (S) ; pēe (nai) (mo,my) / paa (nehe) (mw) (M)
<i>Nicotiana tabacum</i>	tabaco sp.	t[ʌ]arat[ʌ]ara (nahe) (xs,xn)
<i>Solanum mammosum</i>	cubiu sp.	nihiomá (hi) (xn) / pirima (āhusi) (wt) ; perem-āhu-k (N)
<i>Solanum</i> sp.	cubiu sp. (?)	mohomí (mísiki) (xn) / fioka (xn, kopari) ; soka (S)
???	---	fāa (hi) (xs,xn) / fāa (fi) (xf)

TEOFRASTÁCEAS

<i>Clavija lancifolia</i>	arbusto sp.	juu (mohi) (xn)
---------------------------	-------------	------------------------

TIKIÁCEAS

<i>Apeiba</i> sp.	pau-mole	āsiāsirimí (xs,xn)
-------------------	----------	---------------------------

Apeiba sp. árvore sp.
Mollia sp., *Quiina* sp. (quiináceas) ? ---

sapo (kona) (xn,wx)
toatoa (mo[ū] hī) (xs,xn)

ULMÁCEAS

Trema micrantha árvore ribeirinha **hapoka (jí)** (xs) / **hapakawə (jí)** (xn) / **fapokawə** (xf)

URTICÁCEAS

Urera spp. urtiga **api[a] (nasi)** (xs,xn,wt,wc,wx) + **naronaro (nasi)** (xs) ; **api-na-k (N)** ; **apia (nanasi) (S)** ; **kara (naki) (M)**

VERBENÁCEAS

Amazonia arborea (ou acantácea?) planta herbácea **t[ʰ]oru** (xs,xn)

VIOLÁCEAS

Amphirrhox spp. árvore spp. **wāʃamonama** (xs,xn) + **ʃāpinama** (xn)
Leonia cimosa árvore sp. **sisimi (hi)** (xn)
Rinorea riana arbusto sp. **pajoarima (kohi)** (xs,xn)

VITÁCEAS

Vitis tiliaefolia cipó-d'água sp. **maari[ma] (Y)**

VOCHISIÁCEAS

Qualea sp. pau-urucu **peripo (sihi)** (xs,xn)
Vochysia ferruginea árvore sp. **kraja (nahi)** (xn)

ZINGIBERÁCEAS & COSTÁCEAS & CANÁCEAS

Costus spp. cana-fistula **pukunama** (xs) / **prukunama (nasi)** (xn) / **rukunama** (wx) / **maokori (sina)** (wt) ; **pukunama** (S)
Renealmia occidentalis planta sp. **ājajuma (siki)** (xn)
Canna indica cana-da-índia (cultivada, tubérculos comestíveis) **pakoarimī** (xs) / **makoarimī** (xn) ; **makoalina** (S)

• COGUMELOS: **āra (amo)** (Y) ; **ara-amo-k (N)** ; **ana (amo)** (S) ; **ara (amoki)** (mo) / **katama (a)** (mw) (M) ©

ātama (xs) / **etema** (xn) / **moka (amoku)** (wt) ; **atama-kə (N)** ; **ātapa (amo)** (S) ©
haja (kasiki / jímimaki) (xs,wx) ; **hatsa (símikali amo)** (S) ; **xama (jamika)** (M)
husuore-mi (amo) (xs)
maheko-mi (xn) *Basidiomycetes* sp. ©
mosiri-wə (amoku) (xn,wx) / **mosiriri-ma (amoku)** (wt) ©
peripo (amo) (xs) / **poripori (wx), pokora[mi] (amo)** (xs,xn,wt,wx) ©
sikomi (xs,xn) / **ſokəma (wc,wx)** ; **sikimi (amo)** (S) ©
tohotoho (xn) ©
totori (mamisi) (xs)
ſiaſirimí (xn) ©
jore (xs,xn,wt) ; **tſore (N)** ; **tore (nakı)** (M)

- **SAMAMBAIAS:** **misimisi-ma** (xs) / **miſimifi (xn)** / **miſina-ma** (xn) / **wiſiwifi-ma** (wx) / **wiſiwifi-mi (wf)** ; **monimoní (tə)** (S)
- **MUSGOS:** **kapurasí (xs)** / **kaparasí (wc,wx)** / **kapiraſí (wc)** / **kaporasí (wf)** (cf. ‘capim’)

NÃO IDENTIFICADOS (em sublinhado, [talvez] os mais importantes)

Árvores: **amoa (hi)** (xs), **ārā (amohi)** (xs), **arapuri (usi)** (xn,xf), **ārī (āhi)** (xs), **arima (kamapisi)** (xs), **ata (hi)** (xn), **hārarahārara-ri-mi (mahi)** (xs), **haſimo-tʰa-ri (hi)** (xn), **hewəri (tʰotʰo)** (xn), **hewə (nahi)** (xn), **horoeti (hi)** (xs,xn) [fruta comestível], **hōroſofoa-mi** (xs), **hōſokoma-ri** (xn), **husupi-ri-mi (hi)** (xn), **iwa-parikisi (hi)** (xs), **kaihitı (natohi)** (xn), **kāra (āſihi/ūſihi)** (xs,xn), **katakata (t[ʰ]ot[ʰ]o)** (xs,xn), **kataoto (hi)** (xs,xn) [fruta comestível], **koanaje (ninihi)** (xn), **kōkāra (mahi)** (xn), **kōwetero-ma (nasi hi)** (xn), **kojosi (hi)** (xn), **kuaimi** (xs) [arbusto da floresta], **maana (fi)** (xf), **mahawə (hi)** (xn), **mapajawə (namohi)** (xn), **mararāra (hi)** (xn), **mari (hi)** (xn), **matomi, mojena (hi) / moena (hi)** (xn), **nana (uhı)** (xn), **nara ſimonomi hi** (xn), **naſinasirimí (hi)** (xn), **nimo (toto)** (xs) / **nimo (hi)** (xn) [*Brosimum* sp.?, fruta comestível], **okoma (hi)** (xn), **omaoma[rima] (āsi hi)** (xs,xn), **orakawə (āhi)** (xn), **pahakotorawə (akasi hi)** (xn), **paikawa (kohi)** (xs), **paitanari (āhi)** (xn), **paruri (kamapisi hi)** (xs), **paso (watemo ū hī)** (xs), **pore (iſinaripi hi)** (xs), **poroa (hi)** (xn) [fruta comestível], **potopoto (natʰa hi)** (xn), **praki (hi)** (xn) / **praki (ſifi)** (xf), **proro (mahi)** (xs), **reroma (kosi hi)** (xn), **terio (hi)** (xs,xn,wx) [fruta comestível], **teſo (hi)** (xn), **tomari (mohi)** (xs), **turajema (hi)** (xn), **wākari (āſihi)** (xn), **wakata (hi)** (xs,wx), **wānari ([ā]hi)** (xs,xn), **wapajawə (xs) / wāparasí (xn)**, **wārekōſiamí (hi)** (xn), **sama-repokisi** (xs), **samaōri (xs,xn)**, **sereka (kanawetipı hi)** (xs) / **serekawə (naka hi)** (xn), **siahomí (na hi)** (xs), **siki (katohi)** (xn), **ſimi (nahi)** (xn), **sopa (hi)** (xs,wx), **fotokoma** (xs), **fowəmí (kohi)** (xn), **jakoa (hi)** (xs), **jakureto (nahi)** (xn), **jarikoa (kohi)** (xs), **jawara (hi)** (xs,wx), **joiſoi (hi)** (xs), **joririmí (hi)** (xn) ; **ote (una)** (wc,wx) planta cujas cinzas são salgadas

Lianas: **ajari (tʰotho)** (xn), **hikari-t[ʰ]eri-mi (t[ʰ]ot[ʰ]o)** (xs,xn), **hoja ni (tʰotho)** (xn), **kafı (tʰotho)** (xn), **kafithemí (tʰotho)** (xn), **kōapi (aſit[ʰ]o[to])** (xs,xn), **kōtʰārawə (xn) / kuhāwə (xf)** (tʰotho), **kūtara (t[ʰ]ot[ʰ]o)** (xs,xn), **maromí (t[ʰ]ot[ʰ]o)** (xs,xn), **mataremí (tʰotho)** (xn), **mohomí (weokisi)** (xs), **mosa (t[ʰ]ot[ʰ]o)** (xs,xn), **paraparama (nat[ʰ]o)** (xs,xn), **puu (moto)** (xs,xn), **ripuwema (tanuweſi)** (xs) / **ripo(ripo)** (wc,wx), **ſipuririma** (xs) / **ſipori[ta]ma** (xs,xn) / **ſiporokoma** (xf) / **ſiporokomí** (xs), **ſore he** (xn)

Plantas: ekowefi (xf), hapapa (xs,xn), kamonene (xn) [aquática], kōrefe (xn), kurara (akasi) (xn), kuwāima (henaki) (xn), maharawə (xn), moko (hiki) (xn), pakataorewə (xn), patamarima (hena) (xn), poriporima (xn), rimosiriririmī (hi) (xs), tiritirima (hena) (xs), usi (henaki) (xn), japotoema (āsi) (xs), jərəmī (si) (xs) [espinho-do-mato]

OBJETOS

abano ūhemā (xs,xn) / ūfēma (xf,wf) / ūohēma (wc) / ūehēma (wx) / ūefēma (wf) / ūōojīma (wt) ; ūohēma / ūehēma (N) ; ūō(h)i (S) ; ūohēma (mo) / ūapetemī (mw) (M)

agulha: misi (N) ; makosa [< yekuana < esp. aguja] (S) ; mixi (ki) (M)

anzol: ihija (xs) / ihija (xs) / uhe-(j)a (xn) / ihe-a (xn) / uhe (wt,wc,wx) / jaraka (una) (xn) / korai (wc) [< bahiana] ; pili-na (ns) / ūsaraka-na (N) ; tsalaka (una) (S) ; kurau (na) (mo) [< bahiana] / kurai (my) / ūra (hū) (mw) (M)

arco: hāto (nahi) (xs,xn) / fāto (nafi) (xf) / haoama (xn) / ra[h]a (sihi) (wt,wc,wx) / jaraka (nafi) ; jak-nahi (ns) / jakawə (nahi) (N) ; silaka (nahi) (S) ; nara (xii) (mo) / xikawa (nahi) (my) / risa (asi) (mw) (M)

arpão: jōpēna[mā] (xs,xn) ; huia (tī) (S) [< espanhol puya] ; arapo (moſi) [< português arpão] (M)

borduna: himo (xs,xn) / fi(i)mo (xf) / napruſi (xs,xn,xf) / sihēma (wt,wc) / sehēma (wx) / napəſi (wt) ; sehama (N) ; humo (iſi) (S) ; manaka (xi) (mo) / jakepo (mw) (M)

bruxo: ūka (Y) / ūkra (xf) ; ūkra (N) ; ūka (S) ; ūka (mo) / ūkara (my,mw) / ūkora (mw) (M)

xamā: sapori (Y) / sapiri (wt) ; sapori (N) ; sapuli (S) ; xaporí (mo,my) / sapori (mw) (M)

espírito: hekura (Y) / fekura (xf) ; hikara / hekira (N) ; hekula (S)

fantasma do morto: pore (Y) ; utup (N) ; pole (sanati) (S) ; pore (a) (mo) / pore (poſi) (mw) (M)

canoa: ara (si) / napo (si) (Y) ; kanawe / ūapo-si vasilha de casca (N) ; kutiata (iſi) (S) [< espanhol curiara] ; kanao (āhika) (mo) / kuta (?) / koto (si) (mw) (M) ['anzol'?]

cadeira (de canoa): ūhiripēk / mikiti banco (N) ; matakali (tī) (S)

remo: pareke (wc) [cf. pemon pare] ; kanapori (N) [cf. awake kanapali, bahiana kunubiri] ; sakawi (S) ; parekena (M)

cerca: arana (Y)

cestaria: mamo-hāki[ki]wə (xs) + mora (pə) / mona (pə) (xs,wt,wc) + parikama (he) (xs) / warama (si) (xs,xn) + ūrapī (xn) / ūrapī (xs) + jokaro (si) (xs) certo paneiro ; jarararima (my) / warararimī (si) (mw) (M)

- cesto fechado: wī (Y) ; ūharo-si (N) ; wi(i) (S) ; uu (a) (mo) / wī (mw) (M)
- balai: ūto (he) (xs) / ūtote (fe) (xn,wt,w) / ūtote (fe) (xf) ; ūtote-he (N) ; ūtote (a) (S) ; ūtote (he) (mo,my) / ūtote (he) (mw) (M)
- paneiro: jorehi (si) (xs,xn) / jorofi (si) (xf) / ūako (si) (wt,wc,wx,wf) [cf. pemon saki/sokok < português] ; ūreema (ns) (N) ; ūsolai (S) ; džari (xi) (mo) / džaru (xi) (my) / ūzaro (si) (mw) (M)
- panacu: ūaso (āhe) (xs,xn) / ūaso (āhi) (xn,xf) / ūasa (wc,wx) / ūsoa (wt) ; ūtsahama (ns) (N) ; ūxa (āi) (mo,my) / ūxa (āi) (mw) (M)

corda, linha, fio: -t̄a (Y) / (pei) masi-ta (xs) / (pei) ūsi-t̄a (xn,wt,wx) / ūtoja (xs,xn) ; ūai ūt̄at̄a corda/embira, ūstū linha de algodão (N) ; ūtoto ūnakai corda de curauá / ūt̄at̄a embira (S) ; ūkamo-ko-ta (mo) / ūkami-t̄e-ta (my) / (pe) ūko-ta (mw) / ūkrai (nata) (mo) linha de pescar / ūrai (ta) (my) linha de pescar / ūra (hū-ta) (mw) linha de pescar (M)

enfeite: **pausí** (x,wc) / **paſí** (wf) / **paſí** (wt,w.parimi) + **watose** (xs,xn) + **hutuka[ra]** (xs,xn) *brinco de metal* / **fitikari** (xs,wt) / **futhukari** (wc) *id.* ; **paſí** (nn) / **paufí-ki** (ns) (N) ; **paufí** + **olomasi** (**kiki**) *brinco de metal* / **sitipa** *id.* (S) ; **pauxi-ma-mo-i** (mo) *enfeitar-se* / **apoxi-** (mx) *id.* / **(he)paxa-mo-** (my) *id.* / **(ha)pəſa-mo-** (mw) *id.* (M)

enxada: **sapa** (wc) [< karib < holandês *tjap*] ; **paro** (N) ; **samaha** [< yekuana < holandês] (S) ; **porepore** (a) (M)

espelho: **warararimi** (xs) / **mire** (xs,xn) / **mire** (wc) / **mere** (xn) / **hutu (mosi)** (wt) / **kara** (pa) ; **karawə** (N) ; **walala** (S) ; **mire** (a) (mo) / **mere** (mw) (M)

espingarda: **moka[wa]** (x,w) [< nheengatu] / **parekerimí** (xn) / **erekérímí** (xn) / **taímí** (xf) ; **rakapisa** (N) [< esp.] (S) ; **atakusa** [< esp.] (S) ; **mokao** (a) (mo) / **mokawa** (mw) (M)

faca: **akuri** (xs) [<] / **sokopi** (Y,N,S) *faca,terçado,lança* / **poo (si)** (xn) / **pooa (ihirupə)** (wt) / **sokopi** (xn) / **sipara (si)** (xn) ; **thomu-na** (ns) / **thomi-na** (nn) (N) ; **pooi** (S) ; **poo (a)** (mo) / **mari (ſi-iripə)** (mw) [< nheengatu] (M)

- terçado: **sipara** (xs,xn,xf) [< karib ou arawak < esp. *espada*] / **poo (a)** (wt,wc,wx,wf) ; **po(o)-aka** (N) ; **po(o)** / **sokopi lança** (S) ; **poo-pata** (mo) / **mari (ſio)** (mw) [< pt] (M)

- machado de metal: **hājoko-ma** (xs,xn,wx) / **fajokō-ra** (xf) / **hārokō** (xn) / **poo (kofi)** (wt,wc) / **fajaka-ma** (wf) / **hājokō-ro-ma** (wx) ; **hanoko** (a) (S)

- machado de pedra: **poo (kofi)** (xs) / **poo (a)** (xn) ; **poo** (N) ; **po(o)-a-hēto** (S) ; **poo (koxi)** (mo,my) / **poo (he)** (mw) (M)

- pedaço de metal com cabo improvisando um terçado: **pooa (a)** (xs) / **ha(h)oa (a)** (xn)

- lata & objeto metálico: **kapara (si)** (xs) / **sipara (si)** (xs) / **toutamí** (xn) ; **sipala (si)** *metal* (S) [< arawak *sipara* ‘metal’ (bahuana, yabahana, anauyá, loko, baniwa, etc.)

garrafa: **mat[^h]ono** (xs,xn) ; **teia tī** (S) [< yekuana < espanhol *botella*]

lima **kurukuru** (ns) [< karib *kirikiri*] / **kirikiri** (N)

miçanga: **topə** (xs,xn,xf,wf) / **ōha** (wt,wc) / **təpə** (wx,wf) / **jiitha** (w.parimi) ; **ſi(i)t̄ha** (N) ; **matsulu** (S) ; **ōha (ki)** (mo,mx) / **jaroā (aki)** (my) / **madʒaro** (mw) (M) [< bahuana, guinau,yavitero: *majuru*, yekuana: *majuru*]

papel: **wahita** / **waheta** (S) [< yekuana *faheera* < esp. *papel*]

pote: **hapoka** (xs,xn,wt,wc,wf) / **fapoka** (xf) / **hapaka** (wx) ; **hapoka** (N) ; **hapoka** (S) ; **apoka** (M)

ralo **samari** / **somari** (N) [< karib] ; **tatati (ti)** [< yekuana *tarare*] (S) ; **maa-ma** (mo) / **maa-ma-ri** (mw) (M)

rede de dormir: **jī́ (ki)** (x,wx,wf) / **rīo (kohikī)** (wt) / **makera** (xs) [< empréstimo] / **jāo** (xs) *rede tradicional* / **rakamo (thoku)** (wt,wc) / **rakama** (wx) / **nakamo (nakami)** (xf,wf) ; **rakam-thok** (ns,nn) / **ſisiri-thok** (nn) (N) ; **tsīi (thoto)** + **makamo (thotho)** (S) *rede de cipó* ; **kamo (toki)** (mo) / **kamī (toki)** (my) / **rakamo (toki)** (mw) / **jī́ (toki)** (mw) *rede tradicional* (M)

rio: **parawa (u)** (xs,xn) / **para (u)** (xn) / **pata (u)** (wt) / **parawa (u)** (wc) *Orinoco* / **hwara (u)** (wc: L) / **fara (u) (?)** (wf) *Orinoco* ; **pata-u** (N) ; **pata (tu)** / **pipini (tu)** [< ‘māe’] (S)

roupa, pano, tecido de algodão: **watota** (xs,xn) / **jāo** (xs) *cinto de algodão* / **wāo** (xn) *id.* / **kapiſa (ki)** (wt,wc) *roupa* [< karib, arawak < espanhol *camisa*] / **wao (kiki)** (wx) *roupa* / **pesi-ma** (x,w) *tanga* ; **kamisa** + **pesi[-mak]** *tanga (mulher)* (N) ; **halu (iſi)** + **watota** *tanga (homem)* + **pisi** *tanga (mulher)* (S) ; **kapəxa (ke)** (mo) / **kapisa (ki)** (mw) + **pixi (ki)** (mo) / **kotopí (ki)** (mw) *tanga (mulher)* (M)

tipiti: **kotoma** (xn) / **ikatomá** (wt,wc) / **kojotoma (si)** (wt) ; **hoktoma** (N) [<? *hokto* ‘jiboia’] ; **kotoma (iſi)** (S) ; **mokori (xiki)** (mo) / **pokoro (si)** (mw) (M) [< *mokoro* ‘arumã’]

tubo de soprar droga: **huru-mī** (xs) / **puru (usi)** (xn) / **horo-ma** (wc,wx) ; **thore-ma** *flauta* (N) ; **thola (iſi)** (S) ; **horomī** (mo) / **ōromo** (mw) (M)